


OLEAN COUNTY CENTER

INTERIOR ALTERATIONS

DPW BID # 58

1 LEO MOSS DRIVE OLEAN, NY 14755

BID DOCUMENTS OCTOBER 18, 2019



Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel Project No. 307656

ROUTE 16 SITE ROUTE 417

BUFFALO STREET
LEO MOSS DRIVE
CONSTITUTION
AVENUE

PROJECT
LOCATION

DRAWING INDEX

CS-000 COVERSHEET

ARCHITECTURA

ABBREVIATIONS, SYMBOLS, GENERAL NOTES & BUILDING CODE INFORMATION

002 FIRST FLOOR PHASING PLANS

003 SECOND FLOOR PHASING PLANS

D101 DEMOLITION FIRST FLOOR ENLARGED PLANS
D102 DEMOLITION SECOND FLOOR ENLARGED PLANS

A101 ENLARGED FIRST FLOOR PLANS

A102 ENLARGED SECOND FLOOR PLANS

A201 ENLARGE FIRST FLOOR ENTRANCE RAMP PLANS AND DETAILS
A701 FIRST FLOOR REFLECTED CEILING PLANS AND INTERIOR ELEVATIONS

A900 VISITOR WINDOW DETAILS, DOOR SCHEDULE AND DETAILS

PLUMBING PLUMBING SYMBOLS, NOTES, ABBREVIATIONS AND SCHEDULES

PD101 DEMOLITION FIRST FLOOR ENLARGED PLANS

PD102 DEMOLITION SECOND FLOOR ENLARGED PLANS

P101 FIRST FLOOR ENLARGED PLANS P102 SECOND FLOOR ENLARGED PLANS

ELECTRICAL

E001 ELECTRICAL SYMBOLS, ABBREVIATIONS & NOTES

FIRST & SECOND FLOOR ELECTRICAL DEMOLITION ENLARGED PLANS
ED102 FIRST & SECOND FLOOR ELECTRICAL DEMOLITION ENLARGED PLANS
E101 FIRST & SECOND FLOOR ELECTRICAL NEW WORK ENLARGED PLANS
E102 FIRST & SECOND FLOOR ELECTRICAL NEW WORK ENLARGED PLANS


OLEAN COUNTY CENTER


1 LEO MOSS DRIVE OLEAN, NY 14755

BID DOCUMENTS

DPW BID #58

CS-000





FLOOR PLAN GENERAL NOTES:

- REPAIR AND RESTORE ALL ITEMS DAMAGED DURING PROJECT DURATION TO THEIR ORIGINAL CONDITION. ALL ITEMS NOT ABLE TO BE REPAIRED OR RESTORED TO THEIR ORIGINAL CONDITION ARE TO BE REPLACED WITH MATCHING ITEMS.
- 2. ALL DIMENSIONS SHOWN "+/- VIF" ARE TO BE VERIFIED IN THE FIELD BEFORE PROCEEDING WITH ANY WORK OR ORDERING OF MATERIALS.

PHASING NOTES:

- ONLY ONE SUITE (ONE MEN'S AND ONE WOMEN'S) OF TOILETS TO BE CLOSED DOWN AT ANY ONE TIME, PER FLOOR.
- PROVIDE SCHEDULE FOR SCOPE OF WORK. COORDINATE WITH OWNER FOR DATES AND TIMES OF ACCESS.



1 LEO MOSS DRIVE OLEAN, NY 14755

OLEAN COUNTY CENTER INTERIOR ALTERATIONS

DPW BID # 58



Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.


NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS
AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF
WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE
ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR
ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL.
UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN,
SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209,
PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

0	ISSUED FOR BID	10/18/2019
NO.	REVISIONS	DATE


DWG. TITLE

DWG. No.

FIRST FLOOR PHASING PLAN



A002





- . REPAIR AND RESTORE ALL ITEMS DAMAGED DURING PROJECT DURATION TO THEIR ORIGINAL CONDITION. ALL ITEMS NOT ABLE TO BE REPAIRED OR RESTORED TO THEIR ORIGINAL CONDITION ARE TO BE REPLACED WITH MATCHING ITEMS.
- 2. ALL DIMENSIONS SHOWN "+/- VIF" ARE TO BE VERIFIED IN THE FIELD BEFORE PROCEEDING WITH ANY WORK OR ORDERING OF MATERIALS.

PHASING NOTES:

- 1. ONLY ONE SUITE (ONE MEN'S AND ONE WOMEN'S) OF TOILETS TO BE CLOSED DOWN AT ANY ONE TIME, PER FLOOR.
- 2. PROVIDE SCHEDULE FOR SCOPE OF WORK. COORDINATE WITH OWNER FOR DATES AND TIMES OF ACCESS.



1 LEO MOSS DRIVE OLEAN, NY 14755

OLEAN COUNTY CENTER INTERIOR **ALTERATIONS**

DPW BID # 58



Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p.716.688.0766 f.716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.

NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN. AS THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

ISSUED FOR BID 10/18/2019 DATE REVISIONS

SECOND FLOOR PHASING PLAN


GENERIC SCALE BAR SCALE BAR SHOWN IS TWO INCHES ON THE ORIGINAL DRAWING. IF NOT TWO INCHES ON THIS SHEET, ADJUST ACCORDINGLY DATE MARCH 29, 2019 SCALE DWN.

DWG. No.

PROJ. No. 3076-56

A003

CHK. JAH





OLEAN COUNTY CENTER
INTERIOR
ALTERATIONS

DPW BID # 58



Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.

NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

)	ISSUED FOR BID	10/18/2019
Ο.	REVISIONS	DATE

DEMOLITION FIRST FLOOR ENLARGED PLANS

0 1" 2"

GENERIC SCALE BAR

SCALE BAR SHOWN IS TWO INCHES ON THE ORIGINAL DRAWING. IF NOT TWO INCHES ON THIS SHEET, ADJUST ACCORDINGLY

DATE MARCH 29, 2019


 DATE
 MARCH 29, 2019


 SCALE
 AS NOTED

 DWN.
 RAR
 CHK.
 JAH

 PROJ. No.
 3076-56

AD101





OLEAN COUNTY CENTER
INTERIOR
ALTERATIONS

DPW BID # 58



Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.

NOTE:

THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZATION OF MENDEL. UNAUTHORIZATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

0 ISSUED FOR BID 10/18/2019
NO. REVISIONS DATE

DEMOLITION SECOND FLOOR ENLARGED PLANS

0 1" 2"

GENERIC SCALE BAR

SCALE BAR SHOWN IS TWO INCHES ON THE ORIGINAL DRAWING. IF NOT TWO INCHES ON THIS SHEET, ADJUST ACCORDINGLY


DATE MARCH 29, 2019

MARCH 29, 2019

CALE AS NOTED

WN. RAR CHK. JAH

AD102





OLEAN COUNTY CENTER INTERIOR **ALTERATIONS**

DPW BID # 58




Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.

NOTE:

THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZATION OF WENDEL. UNAUTHORIZATION OF REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.




ENLARGED FIRST FLOOR PLANS

GENERIC SCALE BAR SCALE BAR SHOWN IS TWO INCHES ON THE ORIGINAL DRAWING.
IF NOT TWO INCHES ON THIS SHEET, ADJUST ACCORDINGLY MARCH 29, 2019

AS NOTED CHK. JAH

RAR PROJ. No. 3076-56



Cattaraugus County

1 LEO MOSS DRIVE OLEAN, NY 14755


INTERIOR **ALTERATIONS**

DPW BID # 58




Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZATION OF MENDEL UNAUTHORIZATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.



ENLARGED SECOND FLOOR PLANS


GENERIC SCALE BAR SCALE BAR SHOWN IS TWO INCHES ON THE ORIGINAL DRAWING.
IF NOT TWO INCHES ON THIS SHEET, ADJUST ACCORDINGLY MARCH 29, 2019 AS NOTED CHK. JAH



SIGN NOTES:

- 1. GENERAL: ALL SIGN MATERIAL AND INSTALLATIONS SHALL CONFORM TO THE LATEST NEW YORK STATE DEPARTMENT OF TRANSPORTATION (NYSDOT) STANDARD SPECIFICATIONS AND STANDARD SHEETS EXCEPT AS MODIFIED BY THESE PLANS AND CONTRACT DOCUMENTS.
- 2. SIGN PANELS: ALL SIGN PANELS SHALL BE ALUMINUM WITH CLASS B REFLECTIVE SHEETING BACKGROUND AND SCREENED OR REVERSE SCREENED TRANSPARENT COLOR CHARACTERS. BLACK CHARACTERS MAY BE PAINTED.
- 3. ALL CORNER RADII OF PANELS SHALL BE 1-1/2" FOR STREET NAME AND PARKING SERIES SIGNS.
- 4. ALL ALUMINUM SIGN PANELS SHALL CONFORM TO THE REQUIREMENTS OF NYSDOT MATERIAL SPECIFICATIONS 715-04, WROUGHT ALUMINUM AND 645-2.02 FOR MATERIAL THICKNESS.
- 5. SIGN POSTS AND FOOTINGS: SIGN POSTS AND BASE SECTION SHALL BE AT LEAST 12 GAGE GALVANIZED PERFORATED SQUARE STRUCTURAL STEEL TUBING MEETING REQUIREMENTS OF ASTM DESIGNATION A-466 GRADE A.
- 6. IN CURBED AREAS, A 3'-0" HORIZONTAL SETBACK FOR POSTS IS DESIRABLE WITH A 2'-0" MINIMUM. IN NO CASE SHALL A SIGN PANEL EXTEND WITHIN 6" OF THE CURB LINE.
- 7. FLAT WASHERS SHALL BE PLACED AFTER EACH BOLT HEAD, BEFORE EACH NUT, BEFORE EACH NYLON WASHER AND BETWEEN SPACERS AND SIGN PANELS. WASHERS IN CONTACT WITH REFLECTIVE SHEETING SHALL BE NYLON. ALL OTHER WASHERS SHALL BE STAINLESS STEEL. ALL BOLTS, WASHERS AND NUTS FOR U-BOLTS SHALL BE GALVANIZED STEEL. ALL OTHER NUTS AND BOLTS SHALL BE STAINLESS STEEL. ALL STAINLESS STEEL NUTS AND 5/16" DIAMETER BOLTS FOR BANDING BRACKETS SHALL HAVE NYLON PLUG OR RING LOCKING FEATURES.
- 8. BOTTOM OF SIGN PANEL SHALL BE 7'-0" ABOVE FINISHED GRADE.

TRAFFIC SIGNS




— CONCRETE PAVEMENT AND BASE

- COMPACTED SUBGRADE:


-SOIL STABILIZATION FABRIC

FREE OF TOPSOIL


COURSE; RE DETAIL THIS SHEET



ACCESSIBLE PARKING SPACE SYMBOL SCALE: NTS




4 CONCRETE PAVEMENT - STANDARD DUTY
SCALE: NTS




NOTE: MAXIMUM SLOPE 1:12

THIS CONDITION OCCURS ONLY AT ENTRANCES TO BUILDING.

(5) CONC. PAV'T & BLDG. FOUNDATION JT. SCALE: NTS





1 LEO MOSS DRIVE OLEAN, NY 14755

OLEAN COUNTY CENTER INTERIOR **ALTERATIONS**


DPW BID # 58



Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.


NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZATION OF MENDEL. UNAUTHORIZATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.



ENLARGED FIRST FLOOR ENTRANCE RAMP PLANS AND DETAILS

()	1"	 2"
	GENERICS E BAR SHOWN IS TWO INCI NOT TWO INCHES ON THIS		
DATE	MARCH 29, 2019		
SCALE	AS NOTED		
DWN.	RAR	CHK.	JAH
PROJ. No.	3076-56		

A201



-UNDERSIDE OF CONSTRUCTION

FINISHED CEILING AS PER REFLECTED CEILING PLAN

-METAL STUD FURRING @ 16"

F2 2 1/2" MTL STUD & GWB TO DECK


F4 3 5/8" MTL STUD & GWB TO DECK


─1 LAYER 5/8" GWB


_SEALANT TYP


-FINISHED FLOOR

—SEALANT TYP









FLOOR PLAN GENERAL NOTES:

- 1. REPAIR AND RESTORE ALL ITEMS DAMAGED DURING PROJECT DURATION TO THEIR ORIGINAL CONDITION. ALL ITEMS NOT ABLE TO BE REPAIRED OR RESTORED TO THEIR ORIGINAL CONDITION ARE TO BE REPLACED WITH MATCHING ITEMS.
- 2. ALL DIMENSIONS SHOWN "+/- VIF" ARE TO BE VERIFIED IN THE FIELD BEFORE PROCEEDING WITH ANY WORK OR ORDERING OF MATERIALS.

REFLECTED CEILING PLAN GENERAL NOTES:

- 1. ALL CEILING GRIDS TO BE CENTERED IN EACH DIRECTION IN ALL ROOMS UNLESS OTHERWISE INDICATED.
- 2. ALL FIXTURES TO BE CENTERED IN THE CEILING TILE OF SUSPENDED
- 3. COORDINATE ALL DEVICE LOCATIONS W/ ELECTRICAL DRAWINGS.
- 4. ALL MECHANICAL EQUIPMENT TO BE REINSTALLED IN NEW PANELS.

ACT CEILING SYSTEM UNLESS OTHERWISE INDICATED.



1 LEO MOSS DRIVE OLEAN, NY 14755

OLEAN COUNTY CENTER INTERIOR **ALTERATIONS**

DPW BID # 58



375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.

SYMBOLS:

- MR MIRROR
- GB GRAB BAR
- VGB VERTICAL GRAB BAR WP WALL POCKETS
- FP FILLER PANEL
- TTH TOILET TISSUE HOLDER
- SD SOAP DISPENSER
- PTD PAPER TOWEL DISPENSER

COLOR LEGEND:

BASE COLOR #1

COLOR #2

COLOR #3

NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

> ISSUED FOR BID 10/18/2019 REVISIONS DATE


FIRST FLOOR REFLECTED **CEILING PLANS AND INTERIOR ELEVATIONS**

		1"
) 1" GENERIC SC LE BAR SHOWN IS TWO INCHES NOT TWO INCHES ON THIS SHE
	DATE	MARCH 29, 2019
	SCALE	1/4" = 1'-0"
7	DWN.	RAR
	PROJ. No.	3076-56
	DWG. No.	

DWG. TITLE

A701

CHK. JAH



-UNDERSIDE OF CONSTRUCTION

PROVIDE 8" WIDE GWB STRIPS @ 2'-0" (VERT.) TO RETAIN SOUND ATTENUATION BLANKETS

FINISHED CEILING AS PER

—1 LAYER 5/8" GWB BOTH SIDES

-METAL STUDS @ 16" OC MAXIMUM

-SOUND ATTENUATION BLANKET-FULL DEPTH AT PARTITIONS W/


—SEALANT TYP BOTH SIDES


S4-C 3 5/8" MTL STUD TO DECK

'A' SUFFIX

-FINISHED FLOOR

REFLECTED CEILING PLAN








OLEAN COUNTY CENTER INTERIOR **ALTERATIONS**

DPW BID # 58



Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.

NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

10/18/2019 ISSUED FOR BID DATE REVISIONS

FIRST FLOOR INTERIOR **ELEVATIONS AND DETAILS**

GENERIC SCALE BAR SCALE BAR SHOWN IS TWO INCHES ON THE ORIGINAL DRAWING. IF NOT TWO INCHES ON THIS SHEET, ADJUST ACCORDINGLY MARCH 29, 2019 AS NOTED

A900

CHK, JAH


PLUMBING ABBREVIATIONS

AFF AFG	ABOVE FINISHED FLOOR ABOVE FINISHED GRADE
BTU	BRITISH THERMAL UNIT
CO CW	CLEANOUT COLD WATER
D DF DFU DN	DRAIN LINE DRINKING FOUNTAIN DRAINAGE FIXTURE UNIT DOWN
EC EWC EX	ELECTRICAL CONTRACTOR ELECTRIC WATER COOLER EXISTING
F FD FFA FFB	FAHRENHEIT DEGREES FLOOR DRAIN FROM FLOOR ABOVE FROM FLOOR BELOW
GC GPM	GENERAL CONTRACTOR GALLONS PER MINUTE
HW HWR	HOT WATER HOT WATER RECIRCULATION
LAV	LAVATORY
MC	MECHANICAL CONTRACTOR
NIC NTS	NOT IN CONTRACT NOT TO SCALE
PC	PLUMBING CONTRACTOR
SAN SF	SANITARY SEWER SQUARE FOOT
TFA TFB TP	TO FLOOR ABOVE TO FLOOR BELOW TRAP PRIMER
UR	URINAL
V VR VTR	VENT VENT RISE VENT THROUGH ROOF
WC WCO	WATER CLOSET WALL CLEANOUT

PLUMBING SYMBOLS - VALVES AND SPECIALTIES

WET VENT

WATER HAMMER ARRESTOR



	PLUMBING FIXTURE / SPECIALTY SCHEDULE							
PLAN	DESCRIPTION	MANUFACTURER		PIPING COI	NNECTIONS	CTIONS ACCESSORIES NOTES		NOTES
DESIGNATION	BEGGINI HON	MODEL NO.	SAN	VENT	CW	HW	AGGEGGGINEG	NOTES
EWC-1	ADA COMPLIANT TWO LEVEL ELECTRIC WATER COOLER WITH BOTTLE FILLING STATION	ELKAY LZSTL8WSLK (8GPH)	1-1/2"	1-1/2"	1/2"	-	WALL MOUNTING PLATE, VANDAL RESISTANT BUBBLER, 3 PACK REPLACEMENT FILTERS	15AMP MINIMUM DUAL RECEPTOR 115V
LAV-1	ADA COMPLIANT WALL MOUNTED, VITREOUS CHINA, OVERFLOW, SINGLE FAUCET HOLE, 20 3/4"x18 1/4"WIDE	AMERICAN STANDARD LUCERNE 0356.421	1-1/2"	1-1/2"	1/2"	1/2"	FAUCET, SS STRAINER, SUPPLIES, STOPS, TRAP, OFFSET TAILPIECE ESCUTCHEON PLATE, AND CONCEALED ARM CARRIER	ELECTRONIC FAUCET, BATTERY POWERED, 0.5GPM AERATOR, 105°F OUTLET TEMPERATURE, SLOAN EAF-150-ISM
LAV-2	ROUND, VITREOUS CHINA, DROP-IN WITH OVERFLOW, SINGLE FAUCET HOLE, 19-1/8"x19-1/8" WIDE	AMERICAN STANDARD RONDALYN 0490.156	1-1/2"	1-1/2"	1/2"	1/2"	FAUCET, SS STRAINER, SUPPLIES, STOPS, TRAP, OFFSET TAILPIECE AND ESCUTCHEON PLATE	ELECTRONIC FAUCET, BATTERY POWERED, 0.5GPM AERATOR, 105°F OUTLET TEMPERATURE, SLOAN EAF-150-ISM
UR-1	ADA COMPLIANT, URINAL, WALL MOUNTED, VITREOUS CHINA, 0.125 GPF	AMERICAN STANDARD DECORUM 6042.001EC	2"	1-1/2"	3/4"	-	BATTERY OPERATED SENSOR FLUSH VALVE SLOAN 8186-0.125, CARRIER	SEE ARCHITECTURAL PLAN FOR MOUNTING HEIGHTS
WC-1	ADA COMPLIANT, WATER CLOSET, FLUSH VALVE, FLOOR MOUNTED, TOP SPUD, VITREOUS CHINA, 1.28GPF	AMERICAN STANDARD MADERA FLOWISE 3043.001	4"	2"	1"	-	BATTERY OPERATED SENSOR FLUSH VALVE SLOAN G2 8111-1.28, OPEN FRONT SEAT	-
WCO	WALL CLEANOUT	MIFAB C1430-RD	VARIES	-	-	-	-	BRONZE CLOSURE PLUG AND STAINLESS STEEL ACCESS COVER
WHA	WATER HAMMER ARRESTOR, PISTON OPERATED	MIFAB MWH	-	-	VARIES	-	-	INSTALL AT FLUSH FIXTURES, NO ACCESS DOOR REQUIRED

PLUMBING SYMBOLS - PIPING DESIGNATIONS

CW	COLD WATER
——————————————————————————————————————	HOT WATER
——— HWR———	HOT WATER RETURN
——— SAN ———	SANITARY SEWER
—/— SAN —/—	UNDER FLOOR SANITARY SEWER
v	VENT

GENERAL NOTES

- THIS LEGEND SHEET IS FOR CONTRACTOR REFERENCE ONLY. NOT ALL SYMBOLS AND/OR ABBREVIATIONS MAY APPLY TO THIS PARTICULAR PROJECT. ANY ADDITIONS OR OMISSIONS FROM THIS LEGEND SHEET DOES NOT IMPLY INCLUSION AND/OR EXCLUSION OF ANY PARTICULAR ITEM FROM THE PROJECT.
- 2. THE PLANS ARE DIAGRAMMATIC AND INDICATE ONLY THE SIZE AND GENERAL ARRANGEMENT OF PIPING AND EQUIPMENT. EXACT LOCATION OF ALL ELEMENTS SHALL BE DETERMINED AS WORK PROGRESSES, IN COOPERATION AND COORDINATION WITH THE WORK OF ALL OTHER TRADES. IT IS NOT INTENDED TO SHOW EVERY ITEM OF WORK OR MINOR PIECE OF EQUIPMENT, BUT THE CONTRACTOR SHALL FURNISH AND INSTALL WITHOUT ADDITIONAL REMUNERATION ANY COMPONENT NECESSARY TO COMPLETE THE SYSTEM IN ACCORDANCE WITH THE BEST PRACTICE OF THE TRADE.
- 3. ITEMS OF WORK OR EQUIPMENT SHOWN ON THE DRAWINGS ONLY, OR CALLED FOR IN THE SPECIFICATIONS ONLY, SHALL BE FURNISHED AND INSTALLED IN THE SAME MANNER AS IF THEY APPEARED ON BOTH THE DRAWINGS AND SPECIFICATIONS.
- 4. DRAWINGS DO NOT INDICATE ALL OFFSETS, CHANGES IN ELEVATIONS, ETC. WHICH MAY BE REQUIRED. THE CONTRACTOR SHALL MAKE SUCH CHANGES IN PIPING AND LOCATION OF EQUIPMENT, ETC. TO ACCOMMODATE WORK WITH THAT OF OTHER CONTRACTORS.
- 5. INSTALL EQUIPMENT AND PIPING TO AVOID INTERFERENCE WITH THE OPERATION OR SERVICING AND MAINTENANCE OF EQUIPMENT.
- 6. PIPES PENETRATING FIRE WALLS AND FLOORS SHALL BE FIRESTOPPED AS SPECIFIED. REFER TO THE ARCHITECTURAL DRAWINGS FOR FIRE WALL LOCATIONS.
- 7. ALL PHYSICAL ATTRIBUTES OF EQUIPMENT AND DEVICES ARE BASED ON THOSE MANUFACTURERS LISTED IN THE SPECIFICATIONS AND/OR THE EQUIPMENT SCHEDULES. THE RESPECTIVE CONTRACTORS ARE RESPONSIBLE FOR ALL CHANGES BROUGHT ABOUT BY USE OF ITEMS BY OTHER MANUFACTURERS. THE ARCHITECT/ENGINEER HAS RESERVED THE RIGHT TO REJECT ITEMS BY OTHER MANUFACTURERS IF THOSE ITEMS DO NOT MATCH THE PHYSICAL ATTRIBUTES OF THE MANUFACTURERS LISTED.
- 8. COMPLY WITH THE 2015 NEW YORK STATE UNIFORM BUILDING CODE INCLUDING 2017 UNIFORM CODE SUPPLEMENT, 2015 NEW YORK STATE ENERGY CONSERVATION CODE INCLUDING 2016 ENERGY CODE SUPPLEMENT, AND OTHER APPLICABLE CODES.



1 LEO MOSS DRIVE OLEAN, NY 14755

OLEAN COUNTY CENTER
INTERIOR
ALTERATIONS

DPW BID # 58



Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825


Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.

MOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

0	ISSUED FOR BID	10/18/2019
NO	REVISIONS	DATE


PLUMBING SYMBOLS, NOTES, ABBREVIATIONS,

AND SCHEDULES



 $D\Omega\Omega$

DWG. No.



UNISEX TOILET ENLARGED DEMOLITION PLAN

SCALE: 1/4" = 1'-0"

MEN'S TOILET AND WOMEN'S TOILET ENLARGED DEMOLITION PLAN
SCALE: 1/4" = 1'-0"

GENERAL DEMOLITION NOTES:

- A. CONTRACTOR SHALL COORDINATE WITH FACILITY FOR ACCESS FOR ANY WORK TO BE PERFORMED OUTSIDE OF THE TOILET ROOMS.
- B. CONTRACTOR SHALL TEMPORARILY DISCONNECT AND REMOVE EXISTING ACT CEILINGS AS REQUIRED TO PERFORM ANY WORK OUTSIDE OF TOILET ROOMS. EXISTING CEILING SHALL BE STORED IN AN APPROVED AREA. UPON COMPLETION OF WORK, CONTRACTOR SHALL REINSTALL CEILING TO MATCH EXISTING CONDITIONS. CONTRACTOR SHALL REPLACE, WITHOUT ANY REMUNERATION, ANY DAMAGED CEILING TILES, HARDWARE, OR ANCILLARY DEVICES TO MATCH EXISTING.

EXISTING FIXTURE SHALL REMAIN FOR REUSE.

- 2. REMOVE WALL MOUNTED URINAL AND ASSOCIATED SUPPORTS. REMOVE ASSOCIATED COLD WATER BRANCH PIPING INCLUDING INSULATION AND SUPPORTS BACK TO MAIN AND CAP. REMOVE ASSOCIATED SANITARY VENT BRANCH PIPING AND SUPPORTS FROM SANITARY CONNECTION BACK TO VENT MAIN AND CAP. REMOVE ASSOCIATED SANITARY BRANCH PIPING BACK TO WALL AND PROVIDE WALL CLEANOUT.
- 3. REMOVE FLOOR MOUNTED WATER CLOSET. REMOVE ASSOCIATED COLD WATER BRANCH PIPING INCLUDING INSULATION AND SUPPORTS BACK TO MAIN AND CAP. REMOVE ASSOCIATED SANITARY VENT PIPING AND SUPPORTS FROM SANITARY CONNECTION BACK TO VENT MAIN AND CAP. REMOVE ASSOCIATED SANITARY BRANCH PIPING BACK TO FLOOR AND PROVIDE FLOOR CLEANOUT.
- REMOVE FLOOR MOUNTED WATER CLOSET. REMOVE ASSOCIATED COLD WATER, SANITARY, AND SANITARY VENT PIPING BACK TO THE MAINS AND PREPARE FOR RE-USE.
- 5. REMOVE WALL MOUNTED LAVATORY AND ASSOCIATED SUPPORTS. REMOVE ASSOCIATED COLD WATER, HOT WATER, SANITARY, AND SANITARY VENT PIPING BACK TO THE MAINS AND PREPARE FOR RE-USE.
- 6. REMOVE WALL MOUNTED ELECTRIC WATER COOLER. ASSOCIATED COLD WATER, SANITARY, AND SANITARY VENT BRANCH PIPING SHALL BE PREPARED FOR RE-USE.



1 LEO MOSS DRIVE OLEAN, NY 14755


OLEAN COUNTY CENTER INTERIOR ALTERATIONS

DPW BID # 58




Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.



FIRST FLOOR KEY PLAN


	NOTE:
THIS DO	CUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS
AN I	NSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF
WENDE	L WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE
ARCHI	FECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR
ANY OTH	HER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL.
	RIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN
SPE	CIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209,
	PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.



DEMOLITION FIRST FLOOR ENLARGED PLANS

) T' GENERIC SC E BAR SHOWN IS TWO INCHES NOT TWO INCHES ON THIS SHE	ON THE ORIGIN	
DATE	MARCH 29, 2019		
SCALE	AS NOTED		
DWN.	GMM	CHK.	CRL
PROJ. No.	3076-56		

PD101



GENERAL DEMOLITION NOTES:

- A. CONTRACTOR SHALL COORDINATE WITH FACILITY FOR ACCESS FOR ANY WORK TO BE PERFORMED OUTSIDE OF THE TOILET ROOMS.
- B. CONTRACTOR SHALL TEMPORARILY DISCONNECT AND REMOVE EXISTING ACT CEILINGS AS REQUIRED TO PERFORM ANY WORK OUTSIDE OF TOILET ROOMS. EXISTING CEILING SHALL BE STORED IN AN APPROVED AREA. UPON COMPLETION OF WORK, CONTRACTOR SHALL REINSTALL CEILING TO MATCH EXISTING CONDITIONS. CONTRACTOR SHALL REPLACE, WITHOUT ANY REMUNERATION, ANY DAMAGED CEILING TILES, HARDWARE, OR ANCILLARY DEVICES TO MATCH EXISTING.

DEMOLITION NOTES:

1. EXISTING FIXTURE SHALL REMAIN FOR REUSE.

- 2. REMOVE WALL MOUNTED URINAL AND ASSOCIATED SUPPORTS. REMOVE ASSOCIATED COLD WATER BRANCH PIPING INCLUDING INSULATION AND SUPPORTS BACK TO MAIN AND CAP. REMOVE ASSOCIATED SANITARY VENT BRANCH PIPING AND SUPPORTS FROM SANITARY CONNECTION BACK TO VENT MAIN AND CAP. REMOVE ASSOCIATED SANITARY BRANCH PIPING BACK TO MAIN AND PROVIDE CLEANOUT.
- 3. REMOVE FLOOR MOUNTED WATER CLOSET. REMOVE ASSOCIATED COLD WATER BRANCH PIPING INCLUDING INSULATION AND SUPPORTS BACK TO MAIN AND CAP. REMOVE ASSOCIATED SANITARY VENT BRANCH PIPING AND SUPPORTS FROM SANITARY CONNECTION BACK TO MAIN AND CAP. REMOVE ASSOCIATED SANITARY BRANCH PIPING BACK TO MAIN AND PROVIDE CLEANOUT.
- 4. REMOVE WALL MOUNTED ELECTRIC WATER COOLER. ASSOCIATED COLD WATER, SANITARY, AND SANITARY VENT BRANCH PIPING SHALL BE PREPARED FOR RE-USE.
- 5. REMOVE LAY-IN LAVATORY. REMOVE ASSOCIATED COLD WATER, HOT WATER, SANITARY, AND SANITARY VENT BRANCH PIPING BACK TO THE MAINS AND PREPARE FOR RE-USE.
- 6. REMOVE WALL MOUNTED URINAL AND ASSOCIATED SUPPORTS. REMOVE ASSOCIATED COLD WATER, HOT WATER, SANITARY, AND SANITARY VENT BRANCH PIPING BACK TO THE MAINS AND CAP.



1 LEO MOSS D

OLEAN COUNTY CENTER INTERIOR

OLEAN, NY 14755

DPW BID # 58

ALTERATIONS




Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.


NOTE:

THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.




DWG. TITLE

DEMOLITION SECOND FLOOR ENLARGED PLANS



PD102

SECOND FLOOR KEY PLAN



GENERAL DEMOLITION NOTES:

- A. CONTRACTOR SHALL COORDINATE WITH FACILITY FOR ACCESS FOR ANY WORK TO BE PERFORMED OUTSIDE OF THE TOILET ROOMS.
- B. CONTRACTOR SHALL TEMPORARILY DISCONNECT AND REMOVE EXISTING ACT CEILINGS AS REQUIRED TO PERFORM ANY WORK OUTSIDE OF TOILET ROOMS. EXISTING CEILING SHALL BE STORED IN AN APPROVED AREA. UPON COMPLETION OF WORK, CONTRACTOR SHALL REINSTALL CEILING TO MATCH EXISTING CONDITIONS. CONTRACTOR SHALL REPLACE, WITHOUT ANY REMUNERATION, ANY DAMAGED CEILING TILES, HARDWARE, OR ANCILLARY DEVICES TO MATCH EXISTING.

CONSTRUCTION NOTES:

- PROVIDE FLOOR MOUNTED WATER CLOSET. PROVIDE 1-1/2" COLD WATER PIPING FROM EXISTING MAIN WITH WATER HAMMER ARRESTOR. PROVIDE 4" SANITARY AND 2" VENT PIPING BACK TO EXISTING MAINS.
- PROVIDE WALL MOUNTED LAVATORY. PROVIDE 1/2" COLD WATER AND 1/2" HOT WATER PIPING FROM MAINS. PROVIDE 1-1/2" SANITARY AND 1-1/2" SANITARY VENT PIPING BACK TO EXISTING MAINS.
- 3. PROVIDE WALL MOUNTED ELECTRIC WATER COOLER. EXTEND EXISTING COLD WATER AND SANITARY VENT PIPING TO WATER COOLER.
- 4. PROVIDE WALL CLEANOUT FROM EXISTING SANITARY PIPING.



1 LEO MOSS DRIVE OLEAN, NY 14755

OLEAN COUNTY CENTER
INTERIOR
ALTERATIONS


DPW BID # 58




Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.

NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.



FIRST FLOOR ENLARGED PLANS




PROJ. No. 3076-56

FIRST FLOOR KEY PLAN

2

P101

CORRIDOR 284 EXISTING 7 CW MAIN WOMEN'S TOILET 289 VENT MAIN EXISTING -HW & CW MAINS OFFICE 294 STAFF TOILET TOILET 288 CORRIDOR 300 MEN'S TOILET AND WOMEN'S TOILET ENLARGED PLAN SCALE: 1/4" = 1'-0"



MEN'S TOILET AND WOMEN'S ENLARGED TOILET PLAN

SCALE: 1/4" = 1'-0"



GENERAL DEMOLITION NOTES:

- A. CONTRACTOR SHALL COORDINATE WITH FACILITY FOR ACCESS FOR ANY WORK TO BE PERFORMED OUTSIDE OF THE TOILET ROOMS.
- B. CONTRACTOR SHALL TEMPORARILY DISCONNECT AND REMOVE EXISTING ACT CEILINGS AS REQUIRED TO PERFORM ANY WORK OUTSIDE OF TOILET ROOMS. EXISTING CEILING SHALL BE STORED IN AN APPROVED AREA. UPON COMPLETION OF WORK, CONTRACTOR SHALL REINSTALL CEILING TO MATCH EXISTING CONDITIONS. CONTRACTOR SHALL REPLACE, WITHOUT ANY REMUNERATION, ANY DAMAGED CEILING TILES, HARDWARE, OR ANCILLARY DEVICES TO MATCH EXISTING.

EXECUTION NOTES:

- PROVIDE FLOOR MOUNTED WATER CLOSET. PROVIDE 1-1/2" COLD WATER PIPING FROM EXISTING MAIN. PROVIDE 4" SANITARY AND 2" VENT PIPING BACK TO EXISTING MAINS.
- 2. PROVIDE LAY-IN MOUNTED LAVATORY. PROVIDE 1/2" COLD WATER AND 1/2" HOT WATER PIPING FROM MAINS. PROVIDE 1-1/2" SANITARY AND 1-1/2" SANITARY VENT PIPING BACK TO EXISTING MAINS.
- PROVIDE WALL MOUNTED URINAL AND ASSOCIATED SUPPORTS. PROVIDE 3/4" COLD WATER PIPING FROM EXISTING MAIN. PROVIDE 2" SANITARY AND 1-1/2" VENT PIPING BACK TO EXISTING MAINS.
- PROVIDE WALL MOUNTED ELECTRIC WATER COOLER. EXTEND EXISTING COLD WATER AND SANITARY VENT PIPING TO WATER COOLER.



1 LEO MOSS DRIVE

OLEAN COUNTY CENTER
INTERIOR
ALTERATIONS

OLEAN, NY 14755

DPW BID # 58



Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.

NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

0 ISSUED FOR BID 10/18/2019
NO. REVISIONS DATE

DWG TITLE

SECOND FLOOR ENLARGED PLANS


GENERIC SCALE BAR

SCALE BAR SHOWN IS TWO INCHES ON THE ORIGINAL DRAWING.
IF NOT TWO INCHES ON THIS SHEET, ADJUST ACCORDINGLY

CHK. CRL

MARCH 29, 2019

AS NOTED



_ |

DATE

SCALE

PROJ. No. 3076-56

SECOND FLOOR KEY PLAN

SYMBOLS & ABBREVIATIONS SCHEDULE

RECEPTACLES




DUPLEX RECEPTACLE OUTLET, 18" A.F.F., TAMPER RESISTANT, 20AMP COMMERCIAL GRADE GROUNDING TYPE WITH MATCHING COVERPLATE. TAG INDICATES PANELBOARD & BRANCH CIRCUIT THAT IT IS CONNECTED TO.



GFCI RECEPTACLE OUTLET, 18" A.F.F., TAMPER RESISTANT, 20AMP COMMERCIAL GRADE GROUNDING TYPE WITH MATCHING COVERPLATE. TAG INDICATES PANELBOARD & BRANCH CIRCUIT THAT IT IS CONNECTED TO.

POWER

PROVIDE COMPLETE ELECTRICAL CONNECTION TO EQUIPMENT INDICATED (INCLUDING DISCONNECT, CONDUCTORS, RACEWAY, & OTHER REQUIRED HARDWARE. XX-X INDICATES EQUIPMENT TAG. REFER TO MECHANICAL EQUIPMENT SCHEDULE FOR ADDITIONAL INFORMATION.



ELECTRICAL PANELBOARD, SURFACE MOUNTED. UNLESS OTHERWISE NOTED, INSTALL AT 72" A.F.F. TO THE TOP OF THE BOX.



ELECTRICAL PANELBOARD, FLUSH MOUNTED. UNLESS OTHERWISE NOTED, INSTALL AT 72" A.F.F. TO THE TOP OF THE BOX.



(REFER TO LUMINAIRE SCHEDULE FOR ADDITIONAL INFORMATION, LUMINAIRE SYMBOLS ARE SHOWN TO INDICATE GENERAL LIGHTING
T42,a,13

(REFER TO LUMINAIRE SCHEDULE FOR ADDITED SHAPE & SIZE, ACTUAL SYMBOLS MY VARY)



LUMINAIRE (RECESSED). REFER TO LUMINAIRE SCHEDULE FOR ADDTIONAL INFORMATION. UPPERCASE LETTER INDICATES TYPE IN LUMINAIRE SCHEDULE, LOWERCASE LETTER INDICATES TYPE OF SWITCHED LEG, NUMBER INDICATES

WALL LIGHT SWITCH, ROMAN NUMERAL INDICATES NUMBER OF SWITCHES GANGED UNDER ONE COVERPLATE. LOWER CASE LETTERS INDICATE SWITCHING. PROVIDE WITH MATCHING COVERPLATES

"K" - KEYED SWITCH. "3" - 3-WAY

> "4" - 4-WAY "WP" - WATERPROOF (IP66 MINIMUM)


FIRE ALARM



FIRE ALARM SYSTEM ELECTROMAGNETIC DOOR HOLDER. VERIFY REQUIRED VOLTAGE PRIOR TO ORDERING. PROVIDE COMPLETE INTERFACE TO FACP AS REQUIRED. PROVIDE ALL WIRING AS REQUIRED BY SELECTED MANUFACTURER.



FIRE ALARM SYSTEM REMOTE ANNUNCIATOR PANEL. PROVIDE WHERE INDICATED ON FLOOR PLANS. INSTALL APPROXIMATELY 72" A.F.F. TO TOP OF BOX. PROVIDE INTERFACE TO FACP ALL WIRING AS REQUIRED BY SELECTED



DATA (SYSTEMS)



DATA DROP LOCATION. UNLESS OTHERWISE NOTED, PROVIDE MINIMUM OF (2) CAT 6 CABLES & TERMINATIONS, INSTALL 18" AFF, EXTENSION RING & ASSOCIATED JACKS. PROVIDE 3/4" RACEWAY TO NEAREST ACCESSIBLE CEILING SPACE. PROVIDE WITH COVERPLATE. ALL DATA CABLES SHALL BE PROPERLY TERMINATED AT BOTH ENDS. REFER TO SPECIFICATIONS FOR ADDITIONAL INFORMATION.

AREA OF RESCUE ASSISTANCE (SYSTEMS)

AREA OF RESCUE ASSISTANCE AREA STATION, WALL MOUNTED.



AREA OF RESCUE ASSISTANCE MASTER STATION, WALL MOUNTED.

AREA OF RESCUE ASSISTANCE DIRECTIONAL INDICATOR, WALL OR CEILING MOUNTED. REFER TO FLOOR PLANS FOR ADDITIONAL INFORMATION.

REMOVAL (TYPICAL FOR ALL DEVICES):



TYPICAL POWER & SYSTEMS DEVICE SCHEDULED FOR REMOVAL. DISCONNECT & REMOVE ALL ASSOCIATED ELECTRICAL WORK AS INDICATED ON CONTRACT DOCUMENTS. REINSTALL AS REQUIRED



TYPICAL LUMINAIRE SCHEDULED FOR REMOVAL. REFER TO LUMINAIRE SCHEDULE FOR ADDITIONAL INFORMATION.

NOT ALL DEVICES SCHEDULED FOR REMOVAL ARE SHOWN ON THIS SCHEDULE. ALL DEVICES TO BE REMOVED ARE MARKED WITH THE SAME LINETYPE & LINE WEIGHT AS SYMBOLS ABOVE. REFER TO DEMOLITION PLANS FOR ADDITIONAL INFORMATION.

EXISTING TO REMAIN (TYPICAL FOR ALL DEVICES):



TYPICAL POWER & SYSTEMS DEVICE EXISTING TO REMAIN IN PLACE.



EXISTING LUMINAIRE SCHEDULED TO REMAIN IN PLACE. REFER TO LUMINAIRE SCHEDULE FOR ADDITIONAL INFORMATION.

NOT ALL EXISTING DEVICES SCHEDULED TO REMAIN ARE SHOWN ON THIS SCHEDULE. ALL

DEVICES SCHEDULED TO REMAIN ARE MARKED WITH THE SAME LINETYPE & LINE WEIGHT AS SYMBOLS ABOVE. REFER TO FLOOR PLAN DRAWINGS FOR ADDITIONAL INFORMATION.

BRANCH CIRCUIT WIRING NOTES:

- A. UNLESS OTHERWISE NOTED, MINIMUM HOMERUN (HOMERUN SHALL BE CONSIDERED TOTAL LENGTH FROM SOURCE TO LAST DEVICE ON THE CIRCUIT) CONDUCTORS FOR
- 20A/1P BRANCH CIRCUITS INCLUDING LIGHTING SHALL BE AS FOLLOWS: • 1-100FT - #12 AWG
- 101-150FT #10 AWG
- 151-250FT #8 AWG
- 251-400FT #6 AWG. 401 & LONGER - #4 AWG.

REDUCE CONDUCTORS SIZE TO A MAXIMUM CONDUCTOR SIZE THAT THE LOAD TERMINALS CAN ACCOMMODATE, REDUCED SIZE NOT LONGER THAN ONE FOOT. INCREASE RACEWAY SIZE AS NEEDED PER NEC, FOR THE LARGER SIZES OF CONDUCTORS.

ABBREVIATIONS:

- INDICATES WEATHERPROOF DEVICE OR EQUIPMENT WG INDICATES DEVICE SHALL HAVE WIRE GUARD PROTECTION
- AFF ABOVE FINISHED FLOOR
- ABOVE FINISHED GRADE
- EXISTING EQUIPMENT SHALL REMAIN IN PLACE OVER COUNTER (INSTALL 12" ABOVE COUNTER HEIGHT) UNDER COUNTER (INSTALL 18" ABOVE FINISHED FLOOR)
- VNAC VISUAL NOTIFICATION APPLIANCE CIRCUIT ANAC AUDIO NOTIFICATION APPLIANCE CIRCUIT

SIGNALING LINE CIRCUIT

AUTOMATIC TRANSFER SWITCH ATS HORSEPOWER

SLC

- kW KILOWATT
- KILOVOLT-AMPERES
- VFD VARIABLE FREQUENCY DRIVE EM **EMERGENCY**
- NIGHTLIGHT (TYPICAL FOR LIGHTING, 'ON' ALL THE TIME) LTG
- LIGHTING CONTINUOUS LOAD (POWER)
- PWR POWER ELECTRIC HEAT EΗ
- KITCHEN EQUIPMENT
- LARGEST MOTOR EQP SHOP EQUIPMENT
- NEC NATIONAL ELECTRICAL CODE MLO MAIN LUGS ONLY
- MAIN CIRCUIT BREAKER MCB
- AMERICAN WIRE GAGE

GENERAL NOTES: (FOR ALL DRAWINGS)

- A. THE DRAWINGS ARE DIAGRAMMATIC & INDICATE GENERALLY THE LOCATIONS OF THE MATERIAL & EQUIPMENT. THESE DRAWINGS SHALL BE FOLLOWED AS CLOSELY AS POSSIBLE.
- B. MINOR DETAILS NOT USUALLY SHOWN OR SPECIFIED, BUT NECESSARY FOR PROPER INSTALLATION & OPERATION, SHALL BE INCLUDED IN THE CONTRACTOR'S BID, THE SAME AS IF HEREIN SPECIFIED OR SHOWN.
- C. ALL MATERIAL & INSTALLATION SHALL BE IN ACCORDANCE WITH LATEST EDITION OF THE NATIONAL ELECTRIC CODE, LATEST EDITION OF LOCAL CODES, & ORDINANCES.
- D. ALL CONDUITS ON EXPOSED WORK SHALL BE RUN AT RIGHT ANGLES TO, & PARALLEL WITH, THE SURROUNDING WALL & SHALL CONFORM TO THE FORM OF THE CEILING. DIAGONAL RUNS WILL NOT BE ALLOWED. BENDS IN PARALLEL CONDUIT RUNS SHALL BE CONCENTRIC. ALL CONDUIT SHALL RUN PERFECTLY STRAIGHT & TRUE.
- ALL CONDUIT RUNS ARE TO BE CONCEALED IN WALLS, CEILINGS, OR IN THE SLAB. CONTRACTOR SHALL COORDINATE CONDUIT INSTALLATION DURING BUILDING CONSTRUCTION WITH OTHER TRADES. RUN SURFACE RACEWAY ONLY WHERE CALLED FOR OR SHOWN ON THE DRAWINGS. EXPOSED CONDUIT SHALL ONLY BE INSTALLED WHERE MEANS OF CONCEALING DOES NOT EXIST. CONTRACTOR IS TO NOTIFY ENGINEER & GET OWNERS APPROVAL PRIOR TO RUNNING EXPOSED CONDUITS.
- INTERIOR RECEPTACLE & LIGHT FIXTURE BRANCH CIRCUITS SHALL BE IN EMT CONDUIT. A MAXIMUM OF (3) CIRCUITS CAN BE GROUPED TOGETHER IN A HOMERUN CONDUIT. EACH CIRCUIT SHALL HAVE SEPARATE NEUTRAL, GROUPING OF NEUTRALS SHALL NOT BE ACCEPTABLE. EACH CIRCUIT SHALL ALSO HAVE A GROUND WIRE SIZED PER NEC. USING CONDUIT, OR MC CABLE AS GROUND PATH SHALL NOT BE ACCEPTABLE. CABLE MUST BE SUPPORTED PER NEC, GROUPING OF GROUND WIRES [(1) GROUND PER (3) CIRCUITS] IS ACCEPTABLE. MAXIMUM 6' LENGTH OF MC CABLE ALLOWED FOR A WHIP CONNECTION TO LUMINAIRE ONLY. EXTERIOR (OUTDOOR) RECEPTACLE & LIGHT FIXTURE BRANCH CIRCUITS SHALL BE IN RMC CONDUIT OR AS PERMITTED IN THE SPECIFICATIONS.
- G. COORDINATE ALL LUMINAIRE & CEILING MOUNTED EQUIPMENT LOCATIONS & MOUNTING HARDWARE WITH ARCHITECTURAL CEILING PLANS PRIOR TO CONSTRUCTION.
- H. THE CONTRACTOR IS RESPONSIBLE FOR ALL REQUIRED COSTS FOR SEALING ALL PENETRATIONS THROUGH FIRE & SMOKE WALLS USING UL APPROVED SEALANT &
- I. CONTRACTOR MAY REUSE EXISTING CONCEALED CONDUIT UNLESS OTHERWISE NOTED ON
- J. ALL RACEWAYS CROSSING BUILDING EXPANSION JOINTS SHALL BE EQUIPPED WITH EXPANSION FITTINGS.
- K. CONTRACTOR SHALL PROVIDE INFORMATION LABELS ON ALL RECEPTACLES, PANELBOARDS, JUNCTION BOXES, WALL SWITCHES, & DISCONNECT SWITCHES. LABELS SHALL BE PHENALIC TYPE WITH BLACK BACKGROUND & WHITE ENGRAVED LETTERING. LABEL SHALL INDICATED CIRCUIT/FEEDER SOURCE & EQUIPMENT ID NAME.

GENERAL SYMBOLS NOTE

THIS SYMBOLS & ABBREVIATIONS SCHEDULE IS FOR THE ELECTRICAL CONTRACTOR REFERENCE ONLY. NOT ALL SYMBOLS OR ABBREVIATIONS MAY APPLY TO THIS PARTICULAR PROJECT. ANY ADDITIONS OR OMMISSIONS FROM THIS SCHEDULE DOES NOT IMPLY INCLUSION AND / OR EXCLUSION OF ANY PARTICULAR ITEM FROM THE PROJECT.



1 LEO MOSS DRIVE OLEAN, NY 14755

OLEAN COUNTY CENTER INTERIOR **ALTERATIONS**

DPW BID # 58



375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825


Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.


NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR SPECIFICATION PLAN OR REPORT IS A VIOLATION OF SECTION 7209 PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW

0	ISSUED FOR BID	10/18/2019
NO	REVISIONS	DATE

ELECTRICAL SYMBOLS, NOTES

& ABBREVIATIONS





GENERAL DEMOLITION NOTES:

- A. MAINTAIN INTEGRITY OF EXISTING CIRCUIT WIRING PRESENTLY INSTALLED & SERVING EQUIPMENT OUTSIDE THE WORK AREA. VERIFY ROUTE OF EACH FEEDER & BRANCH CIRCUIT SCHEDULED FOR REMOVAL.
- B. PROVIDE PROTECTION FOR ALL EXISTING CONSTRUCTION SYSTEMS/EQUIPMENT SCHEDULED TO REMAIN DURING CONSTRUCTION. CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACEMENT OR RECONDITIONING OF EQUIPMENT/ITEMS DAMAGED DURING REMOVALS.
- C. FIRE ALARM SYSTEM SHALL REMAIN OPERATIONAL DURING CONSTRUCTION. PROVIDE TEMPORARY WIRING AS REQUIRED TO MAINTAIN FIRE ALARM SYSTEM DETECTION / NOTIFICATION THROUGHOUT CONSTRUCTION PHASE. NOTIFY OWNER OF AREAS TO BE SHUTDOWN WHILE WORK IS BEING PERFORMED. FIRE ALARM SYSTEM SHALL BE FULLY OPERATIONAL AT END OF EACH WORK DAY. CONTRACTOR SHALL NOT LEAVE ANY AREAS WITHOUT FIRE ALARM SYSTEM BEING FULLY FUNCTIONAL.
- D. UNLESS OTHERWISE NOTED, DISCONNECT & REMOVE ALL ELECTRICAL WORK ASSOCIATED WITH DEVICE/FIXTURES SCHEDULED FOR REMOVAL. ASSOCIATED ELECTRICAL WORK SHALL INCLUDE CONDUIT, BOXES, CONNECTORS, ETC. BACK TO
- E. CONTRACTOR SHALL PROPERLY DISPOSE OF ALL ELECTRICAL DEVICES & MISC. ITEMS AS REQUIRED. CONTRACTOR IS RESPONSIBLE FOR ANY COST ASSOCIATED WITH
- H. DEMOLITION SHOWN SHALL BE SELECTIVE. UNLESS OTHERWISE INDICATED ON THE PLAN, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF DISCREPANCIES FOUND IN THE FIELD PRIOR TO DEMOLITION OF ANY ITEMS NOT SHOWN. CONTRACTOR SHALL, AT HIS EXPENSE, REPLACE OR REPAIR ANY DEMOLISHED ITEM(S) THAT WERE NOT CALLED FOR ON THE PLANS OR BROUGHT TO ENGINEERS ATTENTION.

⊗ DEMOLITION NOTES:

- 1. DISCONNECT & REMOVE EXISTING NURSE CALL PUSH BUTTON STATION, BACKBOX, CONDUIT AND LOW VOLTAGE WIRING BACK TO THE SOURCE.
- 2. DISCONNECT & REMOVE EXISTING DATA DROP & ALL ASSOCIATED ELECTRICAL WORK. PULL BACK THE LOW VOLTAGE WIRING TO A POINT FROM WHICH IT CAN BE EXTENDED TO ACCOMMODATE A NEW DATA DROP IN THIS AREA. REFER TO NEW WORK PLAN ON DRAWING E101 FOR ADDITIONAL INFORMATION.
- 3. DISCONNECT & REMOVE EXISTING DUPLEX RECEPTACLE & ALL ASSOCIATED ELECTRICAL WORK. PULL BACK THE BRANCH CIRCUIT WIRING TO A POINT FROM WHICH IT CAN BE EXTENDED TO ACCOMMODATE A NEW RECEPTACLE IN THIS AREA. REFER TO NEW WORK PLAN ON DRAWING E101 FOR ADDITIONAL INFORMATION.
- 4. DISCONNECT & REMOVE EXISTING SINGLE POLE TOGGLE SWITCH & ALL ASSOCIATED ELECTRICAL WORK. PULL BACK THE BRANCH CIRCUIT WIRING TO A POINT FROM WHICH IT CAN BE EXTENDED TO ACCOMMODATE A NEW LIGHTING SWITCH IN THIS AREA. REFER TO NEW WORK PLAN ON DRAWING E101 FOR ADDITIONAL INFORMATION.
- 5. DISCONNECT & CAREFULLY REMOVE EXISTING 2'X2' FLOURESCENT TROFFER STYLE LUMINAIRE, RETAIN FOR REUSE. WIRING TO BE RETAINED FOR REUSE. REFER TO NEW WORK PLAN ON DRAWING E101 FOR ADDITIONAL INFORMATION.
- 6. DISCONNECT & CAREFULLY REMOVE EXISTING 2'X4' FLOURESCENT TROFFER STYLE LUMINAIRE, RETAIN FOR REUSE. WIRING TO BE RETAINED FOR REUSE. REFER TO NEW WORK PLAN ON DRAWING E101 FOR ADDITIONAL INFORMATION.
- 7. DISCONNECT & CAREFULLY REMOVE EXISTING 4' WALL MOUNTED FLOURESCENT VANITY STYLE LUMINAIRE, RETAIN FOR REUSE. WIRING TO BE RETAINED FOR REUSE. REFER TO NEW WORK PLAN ON DRAWING E101 FOR ADDITIONAL INFORMATION.
- 8. DISCONNECT & REMOVE EXISTING FIRE ALARM MAGNETIC DOOR HOLD OPEN, BACKBOX AND CONDUIT. MAGNETIC DOOR HOLD OPEN & WIRING TO BE RETAINED FOR REUSE. REFER TO NEW WORK PLAN ON DRAWING E101 FOR ADDITIONAL INFORMATION.
- 9. DISCONNECT & REMOVE EXISTING ELECTRICAL CONNECTION TO THE WATER COOLER. WIRING TO BE RETAINED FOR REUSE. REFER TO NEW WORK PLAN ON DRAWING E101 FOR ADDITIONAL INFORMATION.

NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL, UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

Cattaraugus County

1 LEO MOSS DRIVE

OLEAN, NY 14755

OLEAN COUNTY CENTER

INTERIOR


ALTERATIONS

DPW BID # 58

Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com

p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.



FIRST & SECOND FLOOR ELECTRICAL DEMOLITION ENLARGED PLAN


GENERIC SCALE BAR SCALE BAR SHOWN IS TWO INCHES ON THE ORIGINAL DRAWING IF NOT TWO INCHES ON THIS SHEET, ADJUST ACCORDINGLY DATE MARCH 29, 2019


SCALE AS NOTED DWN. MJC PROJ. No. 3076-56

ED101

CHK. JJR

SECOND FLOOR KEYPLAN





WAITING AREA 244 ELECTRICAL DEMOLITION PLAN

SCALE: 1/4" = 1' 0"

DOORWAY 284-1 ELECTRICAL DEMOLITION PLAN

SCALE: 1/4" = 1'0"

BREAK


ROOM


286

WAITING AREA

244

FIRST FLOOR KEYPLAN





2 STAIR D ELECTRICAL DEMOLITION PLAN
SCALE: 1/4" = 1'0"

GENERAL DEMOLITION NOTES:

- A. MAINTAIN INTEGRITY OF EXISTING CIRCUIT WIRING PRESENTLY INSTALLED & SERVING EQUIPMENT OUTSIDE THE WORK AREA. VERIFY ROUTE OF EACH FEEDER & BRANCH CIRCUIT SCHEDULED FOR REMOVAL.
- B. PROVIDE PROTECTION FOR ALL EXISTING CONSTRUCTION SYSTEMS/EQUIPMENT SCHEDULED TO REMAIN DURING CONSTRUCTION. CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACEMENT OR RECONDITIONING OF EQUIPMENT/ITEMS DAMAGED DURING REMOVALS.
- C. UNLESS OTHERWISE NOTED, DISCONNECT & REMOVE ALL ELECTRICAL WORK ASSOCIATED WITH DEVICE/FIXTURES SCHEDULED FOR REMOVAL. ASSOCIATED ELECTRICAL WORK SHALL INCLUDE CONDUIT, BOXES, CONNECTORS, ETC. BACK TO SOURCE PANEL.
- D. CONTRACTOR SHALL PROPERLY DISPOSE OF ALL ELECTRICAL DEVICES & MISC. ITEMS AS REQUIRED. CONTRACTOR IS RESPONSIBLE FOR ANY COST ASSOCIATED WITH
- H. DEMOLITION SHOWN SHALL BE SELECTIVE. UNLESS OTHERWISE INDICATED ON THE PLAN, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF DISCREPANCIES FOUND IN THE FIELD PRIOR TO DEMOLITION OF ANY ITEMS NOT SHOWN. CONTRACTOR SHALL, AT HIS EXPENSE, REPLACE OR REPAIR ANY DEMOLISHED ITEM(S) THAT WERE NOT CALLED FOR ON THE PLANS OR BROUGHT TO ENGINEERS ATTENTION.

© DEMOLITION NOTES:

- 1. DISCONNECT & REMOVE EXISTING SURFACE PLUGMOLD & ALL ASSOCIATED ELECTRICAL WORK. PULL BACK THE BRANCH CIRCUIT WIRING TO A POINT FROM WHICH IT CAN BE EXTENDED TO ACCOMMODATE A NEW PLUGMOLD STRIP IN THIS AREA. REFER TO NEW WORK PLAN ON DRAWING E101 FOR ADDITIONAL INFORMATION.
- 2. DISCONNECT & REMOVE EXISTING AREA OF RESCUE MASTER STATION AND REMOTE CALL STATION. POWER WIRING AND FIRE ALARM CONTROL PANEL INTERCONNECTION WIRING TO REMAIN FOR REUSE. MASTER TO SLAVE INTERCONNECTION WIRING BETWEEN THE EXISTING AREA OF RESCUE MASTER STATION AND THE EXISTING CALL STATION (LOCATED ON SECOND FLOOR STAIR D) TO BE REMOVED.



1 LEO MOSS DRIVE

OLEAN COUNTY CENTER INTERIOR **ALTERATIONS**


OLEAN, NY 14755

DPW BID # 58




375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.



SECOND FLOOR KEYPLAN



GENERIC SCALE BAR SCALE BAR SHOWN IS TWO INCHES ON THE ORIGINAL DRAWING IF NOT TWO INCHES ON THIS SHEET, ADJUST ACCORDINGLY DATE MARCH 29, 2019 SCALE AS NOTED

ISSUED FOR BID

REVISIONS

FIRST & SECOND FLOOR ELECTRICAL DEMOLITION ENLARGED PLAN


DATE

DWN. MJC PROJ. No. 3076-56

ED102

CHK. JJR

FIRST FLOOR KEYPLAN



F7

F7

DOORWAY 284-1 ELECTRICAL DEMOLITION PLAN

SCALE: 1/4" = 1'0"

BREAK

ROOM

286


WAITING AREA

244

GENERAL NOTES:

A. COORDINATE ALL FIRE ALARM INTERRUPTIONS WITH OWNER BEFORE CONSTRUCTION.

- 1. PROVIDE NEW DATA OUTLET AND ALL REQUIRED ELECTRICAL WORK. EXTEND / MODIFY EXISTING LOW VOLTAGE WIRING MAINTAINED FROM DEMOLITION AS REQUIRED TO THIS LOCATION. NO SPLICING IS ALLOWED. TEST CABLE FOR PROPER OPERATION.
- 2. PROVIDE NEW DUPLEX RECEPTACLE AND ALL REQUIRED ELECTRICAL WORK. EXTEND EXISTING BRANCH CIRCUIT WIRING MAINTAINED FROM DEMOLITION AS REQUIRED TO THIS LOCATION.
- 3. PROVIDE NEW SINGLE POLE TOGGLE SWITCH. EXTEND EXISTING BRANCH CIRCUIT WIRING MAINTAINED FROM DEMOLITION AS REQUIRED TO THIS LOCATION.
- 4. RE-INSTALL EXISTING 2' X 2' TROFFER STYLE LUMINAIRE MAINTAINED FROM DEMOLITION. EXTEND EXISTING BRANCH CIRCUIT WIRING AS REQUIRED TO THIS LOCATION.
- 5. RE-INSTALL EXISTING 2' X 4' TROFFER STYLE LUMINAIRE MAINTAINED FROM DEMOLITION. EXTEND EXISTING BRANCH CIRCUIT WIRING AS REQUIRED TO THIS
- 6. RE-INSTALL EXISTING 4' WALL MOUNT FLOURESCENT VANITY LUMINAIRE MAINTAINED FROM DEMOLITION. EXTEND EXISTING BRANCH CIRCUIT WIRING AS REQUIRED TO THIS LOCATION.
- 7. RECONNECT EXISTING FIRE ALARM MAGNETIC DOOR HOLD OPEN MAINTAINED FROM DEMOLITION. EXTEND / MODIFY EXISTING LOW VOLTAGE WIRING MAINTAINED FROM DEMOLITION AS REQUIRED TO THIS LOCATION. PROVIDE A FULLY FUNCTIONAL
- 8. EXTEND EXISTING BRANCH CIRCUIT WIRING AS REQUIRED TO THIS LOCATION FOR THE NEW WATER COOLER.



NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN. AS THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

Cattaraugus County

1 LEO MOSS DRIVE

OLEAN, NY 14755

OLEAN COUNTY CENTER

INTERIOR

ALTERATIONS

DPW BID # 58

Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221

www.wendelcompanies.com

p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.

ISSUED FOR BID DATE REVISIONS

FIRST & SECOND FLOOR ELECTRICAL NEW WORK ENLARGED PLAN

GENERIC SCALE BAR SCALE BAR SHOWN IS TWO INCHES ON THE ORIGINAL DRAWING IF NOT TWO INCHES ON THIS SHEET, ADJUST ACCORDINGLY

DATE MARCH 29, 2019 SCALE AS NOTED DWN. MJC PROJ. No. 3076-56

E101

CHK. JJR

WAITING AREA

283

WAITING AREA 244 ELECTRICAL DEMOLITION PLAN

SCALE: 1/4" = 1' 0"

NEW WATER-

WAITING AREA


244


COOLER

FIRST FLOOR KEYPLAN

SATIONAL SECTION OF THE SECTION OF T

PARTIAL SECOND FLOOR AREA OF REFUGE ELECTRICAL PLAN SCALE: 1/16" = 1' 0"





3 AREA OF REFUGE WIRING DETAIL


SCALE: 1/4" = 1'0"

GENERAL NOTES:

A. COORDINATE ALL FIRE ALARM INTERRUPTIONS WITH OWNER BEFORE CONSTRUCTION.

□ CONSTRUCTION NOTES:

- 1. DISCONNECT & REMOVE EXISTING AREA OF REFUGE MASTER STATION (LOCATED NEAR THE FRONT ENTRANCE) AND THE EXISTING AREA OF REFUGE CALL STATION (LOCATED IN STAIR D). PROVIDE NEW AREA OF RESCUE MASTER STATION (RATH 2500-206FM) AND POWER SUPPLY (RATH 2500-PWR24U). RECONNECT EXISTING POWER WIRING MAINTAINED FROM DEMOLITION TO THE NEW POWER SUPPLY. PROVIDE LOW VOLTAGE WIRING FROM POWER SUPPLY TO MASTER STATION. RECONNECT EXISTING FIRE ALARM CONTROL PANEL INTERCONNECTION WIRING MAINTAINED FROM DEMOLITION TO MASTER STATION. PROVIDE (2) NEW REMOTE CALL STATIONS (RATH 2100-958SR OR EQUAL) ONE LOCATED ON SECOND FLOOR IN CORRIDOR 201 & ONE LOCATED ON SECOND FLOOR IN STAIR D. PROVIDE LOW VOLTAGE WIRING FROM MASTER STATION TO BOTH REMOTE CALL STATIONS. REFER TO THE WIRING DETAIL ON THIS DRAWING FOR ADDITIONAL INFORMATION.
- 2. PROVIDE ILLUMINATED AREA OF REFUGE SIGNAGE (RATH 7050 SINGLE SIDED / 7050D DOUBLE SIDED) AT THIS LOCATION. PROVIDE A 120 VOLT CIRCUIT FROM A NEARBY EMERGENCY PANELBOARD. MOUNT ILLUMINATED AREA OF REFUGE SIGN BETWEEN 60" & 80" TO TOP OF SIGN.
- 3. PROVIDE NON-ILLUMINATED BLUE SIGN WITH RAISED LETTERING AND BRAILLE (RATH 7044). MOUNT TO DOOR LEADING TO THE AREA OF REFUGE SPACE. MOUNT THE SIGN 60" TO CENTER OF THE SIGN AFF.
- 4. PROVIDE APPROXIMATELY NINE FEET OF NEW SURFACE PLUGMOLD (LEGRAND V20GB306 OR EQUAL) & ALL ASSOCIATED ELECTRICAL WORK. EXTEND EXISTING BRANCH CIRCUIT WIRING AS REQUIRED TO THIS LOCATION. CONCEAL ALL POWER CONNECTIONS INSIDE OF PLUGMOLD OR IN JUNCTION BOX.



1 LEO MOSS DRIVE OLEAN, NY 14755


OLEAN COUNTY CENTER
INTERIOR
ALTERATIONS

DPW BID # 58



Centerpointe Corporate Park 375 Essjay Road, Suite 200 Williamsville, NY 14221 www.wendelcompanies.com p:716.688.0766 f:716.625.6825

Wendel WD Architecture, Engineering, Surveying and Landscape Architecture, P.C.



FIRST FLOOR KEYPLAN

NOTE:
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WENDEL WD ARCHITECTURE, ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE, P.C. AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF WENDEL. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS A VIOLATION OF SECTION 7209, PROVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

0 ISSUED FOR BID 10/18/2019
NO. REVISIONS DATE

DWG. TITLE

FIRST & SECOND FLOOR ELECTRICAL NEW WORK ENLARGED PLAN

) GE E BAR SHOWN I NOT TWO INCHE		ON THE ORIGIN	
DATE	MARCH 2	9, 2019		
SCALE	AS NOTE	D		
DWN.	MJC		CHK.	JJR
PROJ. No.	3076-56			
DWG. No.				

E102