# **CATTARAUGUS COUNTY**



John R. Searles, County Administrator

Phone: (716) 938-2577 Fax (716) 938-2760

Contingent Fund Balance: \$198,420

The following committees will meet on <u>Wednesday, February 17, 2021</u>, in the Legislative Chambers at the County Center in Little Valley, New York, at the indicated times:

4:00 p.m.
4:15 p.m.
4:30 p.m.
4:45 p.m.
5:00 p.m.
5:30 p.m.

Pursuant to New York State Executive Order 202.1, public in-person access is not permitted; however, the public may listen to the Committee Meetings by <u>calling: 1-408-418—9388 /Access</u> Code: 179 254 0977 (Followed by #).

\_...\_..

ACT NO.	PREFILED RESOLUTIONS
85-21	Mr. Helmich and Mr. Koch
	BID ACCEPTANCE FOR BRIDGE STRUCTURAL STEEL (Department of Public Works)
86-21	Mr. Helmich and Mr. Koch
	BID ACCEPTANCE FOR CORRUGATED BEAM GUIDE RAILING, BOX BEAM AND
	CABLE GUIDE RAILING, BRIDGE AND CULVERT POST, BRIDGE RAILING AND
	TRANSITION SECTIONS (Department of Public Works)
87-21	Mr. Helmich and Mr. Koch
	BID ACCEPTANCE FOR CRUSHED STONE, ROCK RIP RAP, CONCRETE CATCH BASINS,
	PORTLAND CEMENT CONCRETE, FLEXIBLE CONCRETE MATS, GEOTEXTILE FABRIC
	AND PROCESSED GRAVEL (Department of Public Works)
88-21	Mr. Helmich and Mr. Koch
	AUTHORIZING THE CHAIR TO EXECUTE AMENDED CONTRACT WITH CHRISTOPHER
	SURMA D/B/A ENVIROTEKNIX FOR LEACHATE, SURFACE AND GROUNDWATER
	MONITORING AT FARWELL AND FIVE POINTS LANDFILLS AND ALLEGANY AND
	FRANKLINVILLE HIGHWAY BARNS STORM WATER DISCHARGE ANALYSIS

- 89-21 Mrs. Andreano AUTHORIZING THE CHAIR TO EXECUTE CONTRACT WITH MCCARTHY & CONLON, LLP FOR PREPARATION AND REVIEW OF SKILLED NURSING FACILITY MEDICARE COST REPORTS FOR DEPARTMENT OF NURSING HOMES AND ADJUSTING VARIOUS APPROPRIATION AND REVENUE ACCOUNTS (Department of Nursing Homes)
- 90-21 Mr. Boberg and Mr. Klancer ADJUSTING VARIOUS APPROPRIATION AND REVENUE ACCOUNTS (Sheriff's Office – 911 Center Furniture)
- 91-21 Mr. Klancer AUTHORIZING THE CHAIR TO EXECUTE CONTRACT WITH NEW YORK STATE INDUSTRIES FOR THE DISABLED FOR DELEVAN DEPARTMENT OF MOTOR VEHICLES OFFICES JANITORIAL SERVICES

C	Committee Referrals for February 17, 2021 Committee Meetings									
Act #	Finance	County Ops/Pub Safety	DPW	Human Services	Dev & Ag	Labor Relations	Strategic Plng.			
85	х		Х							
86	х		Х							
87	х		Х							
88	х		Х							
89	х			x						
90	х	Х								
91	Х	Х	Х							
TOTAL	7	2	5	1	0	0	0			

# **BID ACCEPTANCE FOR BRIDGE STRUCTURAL STEEL** (Department of Public Works)

# Pursuant to Section 103 of the General Municipal Law and Sections 408 and 408-a of the County Law.

١. WHEREAS, the Clerk of the Legislature was authorized to advertise for sealed bids for the provision of bridge structural steel, according to specifications provided by the Public Works Committee, now, therefore, be it

RESOLVED, that the Commissioner of Public Works is authorized to contract for bridge ١. structural steel with the following bidders recommended by the Public Works Committee for the term March 1, 2021 through February 28, 2022, and be it further

Π. RESOLVED, that any county, city, village, town, school, or fire district in Cattaraugus County may participate in the bid prices by dealing directly with the bidder, and be it further

III. RESOLVED, that the County of Cattaraugus reserves the right to make purchases of the aforementioned items at any time during the term for which the bids are taken.

#### BRIDGE STRUCTURAL STEEL ٠

Chemung Supply Corp. P.O. Box 527 Elmira, New York 14902

Linnu, New	1011 14902		
			<u>Per Pound</u>
<u>Index No.</u>	Description	<u>A36</u>	<u>A572 Grade 50</u>
SS-A1	Structural Angles, Channels up to and including 8"		
	0-4000 lbs	\$1.21	\$1.25
	4001 lbs and greater	\$1.18	\$1.21
SS-A2	Structural Angles, Channels over 8" up to and including 15"		
	0-4000 lbs	\$1.33	\$1.38
	4001 lbs and greater	\$1.29	\$1.33
SS-C1 SS-C1a	<u>I-Beams Std. – up to &amp; including 8"</u> up to 60' long	\$1.35	\$1.41
SS-C2 SS-C2a SS-C2b	<u>I-Beams Std. – 10" to 36"</u> up to 60' long 60' and greater	\$1.35 \$1.97	\$1.41 \$2.15
SS-D1 SS-D1a SS-D1b	<u>Wide Flange- up to &amp; including 12"</u> up to 60' long 60' and greater	\$ .97 \$1.99	\$1.09 \$2.02
SS-D2 SS-D2a	<u>Wide Flange – 14" to 36"</u> up to 60' long	\$1.14	\$1.19

SS-D2b SS-D2c SS-D2d	60' and greater up to 60' long (precambered) 60' and greater (precambered)	\$2.16 \$1.37 \$2.69	\$2.21 \$1.42 \$2.74
SS-E	H-Piles – all sizes up to and including 14"	\$1.06	\$1.11
SS-F	Flat Steel Plates, 6' wide x 20' long x 5/16"	\$1.06	\$1.11
SS-G	Flat Steel Plates, 4' wide x 9' long, All thicknesses from ¼" to 1"	\$1.14	\$1.19
SS-H1	<u>Steel Sheet Piling – up to 60' length</u>	A572 Grade 50	A690 Grade 50
SS-H1a	AZ Shapes & Accessories	\$1.12	\$1.24
SS-H1b	PZ Shapes & Accessories	\$1.12	\$1.24
SS-I	Concrete Re-Enforcing Bar-Grade 60, sizes No. 3 thru No. 8, 20' lengths	A615 Grade 60 \$.59	
State Line S 1333 East N			

Bradford, Pennsylvania 16701

2.00,0.0,		Dulas		David
		Price	s are Per	Pouna
Index No.	Description	A36	A	572 Grade 50
SS-B1	Ship and Car Channel (MC section), 6" to 8"			
	0-4000 lbs	\$:	1.46	\$1.46
	4001 lbs and greater	\$:	1.35	\$1.35
SS-B2	Ship and Car Channel (MC section), over 8" to 18"			
	0-4000 lbs	\$:	1.46	\$1.46
	4001 lbs and greater	\$:	1.35	\$1.35

No State Bid.

Three sets of specifications were sent out. Two bids were received which met specifications.

Resolution Referred to:						
Finance	Human Services					
DPW 🛛	Develop. & Ag					
Labor Relations	Strategic Planning					
Co. Operations/Public Safet	У					

# BID ACCEPTANCE FOR CORRUGATED BEAM GUIDE RAILING, BOX BEAM AND CABLE GUIDE RAILING, BRIDGE AND CULVERT POST, BRIDGE RAILING AND TRANSITION SECTIONS (Department of Public Works)

# Pursuant to Section 103 of the General Municipal Law and Sections 408 and 408-a of the County Law.

I. WHEREAS, the Clerk of the Legislature was authorized to advertise for sealed bids for the provision of various materials, according to specifications provided by the Public Works Committee, now, therefore, be it

I. RESOLVED, that the Commissioner of Public Works is authorized to contract for corrugated beam guide railing, box beam and cable guide railing, bridge and culvert post, bridge railing and transition sections with various vendors, as recommended by the Public Works Committee for the term March 1, 2021 through February 28, 2022, and be it further

II. RESOLVED, that any county, city, village, town, school, or fire district in Cattaraugus County may participate in the bid prices by dealing directly with the bidder, and be it further

III. RESOLVED, that the County of Cattaraugus reserves the right to make purchases of the aforementioned items at any time during the term for which the bids are taken and to require suitable bond to guarantee delivery.

CHEMUNG SUPPLY CORP. P.O. Box 527 Elmira, New York 14902

# CORRUGATED BEAM GUIDE RAILING & ACCESSORY HARDWARE

Index No.	Description:	<u>Quantity</u>	<u>Amount</u>
GR-01	Galvanized W-Beam rail; 13 feet 6 ½ inches in length by 12 ¼ inches in height by 3 ¼ inches in width; 8 standard splice bolt slots on each end; std. post bolt slots at 3 feet 1 ½ inch O.C.; .105 inches thick	each	\$110.62
GR-02	Galvanized W-Beam rail; as above except standard post bolt slots 6 feet 3 inch O.C.	each	\$110.62
GR-03	Galvanized W-Beam Rail; Shop bent radius (R); as above with standard post bolt slots 6 feet 3 inch O.C.; state maximum (a) 10 feet to 19 feet radius (b) 20 feet to 39 feet radius	each each	\$143.00 \$137.00
	(c) 40 feet to 200 feet radius	each	\$137.00
GR-04	Galvanized W-Beam rail; as above with standard post bolt slots 6 feet 3 inch O.C.; with 10 (1 inch dia.) at 3 inch O.C. on one end for mounting to standard concrete anchor	each	\$127.40

GR-05	Galvanized W-Beam rail; as above shop bent, twisted and bored for mounting to concrete anchor within one section for typical driveway installations	each	\$166.40
GR-06	Galvanized Rounded End Section (Single Sided)	each	\$40.62
GR-06A	Galvanized Rounded End Section (Single Sided)	each	\$40.62
GR-06A GR-07	Galvanized Flared End Section (Double Sided)	each	\$33.80
GR-08	Galvanized Terminal Connector Parapet	each	\$46.80
GR-09	5/8 inch x 1 inch Galvanized splice bolts with 5/8 inch by 7/8 inch oval shoulder including oversize nut (1¼ inch across flats) as per NYSDOT dwg. M606-6	per 100	\$104.00
GR-10	5/8 inch diameter x 1½ inch Galvanized hex head bolts with nuts	per 100	\$130.00
	and flat washers for mounting block-outs to heavy posts as per NYSDOT dwg. 606-8R1	<b>I</b>	
GR-10W	5/8 inch diameter x 10 inch Galvanized hex head bolt with nut and flat washer for mounting the railing and wooden offset beam to heavy post as per NYSDOT dwg. M606-8R3	each	\$2.73
GR-11	Rectangular flat plate washers as per NYSDOT dwg. 606-8R1	per 100	\$240.50
GR-12	Back up plate as per NYSDOT dwg. M606-50	each	\$8.58
GR-13	5/8 inch diameter x 2 inch Galvanized Button head bolts with nuts	per 100	\$221.00
	& flat washers for mounting "W-beam" to heavy post block outs	p =	+
GR-14	Turn down post mounting brackets. Set consists of one each of type "A", "B", and "C" brackets as per NYSDOT dwg. M606-9R2	per set	\$139.00
GR-15	W6 x 9 heavy post, 6 foot 0 inches long with soil plate and 6, 3/4" holes as per NYSDOT dwg. M606-8R3	each	\$85.80
GR-15A	W6 x 9 heavy post, 7 foot 4 inches long, with soil plate and 6, 3/4" holes as per NYSDOT dwg. M606-8R3	each	\$103.02
GR-16	W6 x 9 standard heavy post, 6 foot 0 inches long, without soil plate as per NYSDOT dwg. M606-8R3	each	\$54.92
GR-17	W6 x 8.5 or W6 x 9 by 14 inch offset beam (block-out) as per NYSDOT dwg. 606-8R1	each	\$16.31
GR-17W	Wooden 6" x 8" x 14 ½" Offset Block	each	\$13.65
GR-17P	Plastic 6 inch x 8 inch x 14 ½ inch offset block	each	\$5.46
GR-18	5/16 inch diameter by 1½ inch hex head Galvanized Bolts with nuts, Detail "M" square washer, and Flat washers for mounting guide rail to weak Posts as per NYSDOT dwg. M606-6	per 100	\$104.00
GR-18A	5/16 inch diameter by 2 3/8 inch Hex Bolt with Two "M" washers, two nuts & one flat washer as Per NYSDOT dwg. M606-51	per 100	\$208.00
GR-19	S3 x 5.7 Universal Weak post, 5 foot 3 inches long, with soil plate as per NYSDOT dwg. M606-6	each	\$53.62
GR-19A	S3 x 5.7 Universal Weak post, 7 foot 0 inches long with soil plate as per NYSDOT dwg. M606-6	each	\$69.22
GR-19B	S3 x 5.7 Universal Weak post, 5 foot 5 inches long, with soil plate as per NYSDOT dwg. M606-50	each	\$54.60
GR-20	Concrete anchor with galvanized nuts and washers per NYSDOT dwg. M606-6	each	\$424.00
GR-21	Ground Bearing angle set consisting of two L4 x 3 x ¼ angles 8" long and two ¾" x 4 ½" hex bolts with nut & 2 flat washers as per NYSDOT dwg. M606-6	per set	\$47.45
GR-22	1/2 inch by $1\frac{1}{1}$ inch Hex Bolt with 2 nuts for W-Beam support on S3 x 5.7 post	per 100	\$110.50
GR-23	W6 x 15 Barricade Post, 8 foot 0 inches long	each	\$176.80
GR-23B	W6 x 15 Barricade Post, 9 foot 4 inches long as per NYSDOT dwg. M630-1	each	\$260.00

GR-24	¾" diameter x 1 foot 6 inches long, Galvanized Anchor Bolts, with a minimum of 4" threading, with two nuts and one flat washer as per NYSDOT dwg. M630-1	each	\$10.53
BOX BFAM &	CABLE GUIDE RAIL AND ASSOCIATED HARDWARE		
Index No.	Description:	<u>Unit</u>	<u>Amount</u>
CABLE GUIL	DE RAILING: DRAWINGS 606-1R2 & 606-2R2		
CG-80	$^{3}$ " Round Wire Cable, three (3) strands of seven (7) wires each,	/foot	\$1.23
	AASHTO, M-30, TYPE 1, Class A		
CG-81	Concrete Anchors with breakaway angle, hardware and two (2)	each	\$425.00
	top mounted independent rebar lift points; as per NYSDOT dwg.		
	606-1R2		
CG-81a	Two piece Concrete Anchor with hardware as per NYSDOT dwg.	each	\$425.00
	M606-2R1		
CG-82	Spring and Turnbuckle Cable End Assembly, with compensating device; NYSDOT dwg. M606-2R1 Detail "B"	each	\$269.10
CG-83	Steel Turnbuckle Cable End Assembly; NYSDOT dwg. M606-2R1 Detail "A"	each	\$143.00
CG-83a	Cable End Assembly to Anchor, as per NYSDOT dwg. M606-2R1	each	\$65.00
CG-84	S3 x 5.7 Universal Weak Post with soil plate, 5'5" length	each	\$54.60
CG-85	End Post Cap with bolt; as per NYSDOT dwg. M606-IR2	each	\$43.05
CG-85a	Anchor Post Assembly - Complete as per NYSDOT dwg. M606- 2R1	each	\$290.03
CG-86	Driveway End Post Cap with bolt; as per NYSDOT dwg. 606-2R2	each	\$38.35
CG-87	Ground Bearing Angles assembly; as per NYSDOT dwg. 606-1R2	each	\$48.10
CG-88	Hook Bolt with shoulder & nut or 2 nuts; NYSDOT dwg. M606- 1R2	each	\$.91
CG-89	Reflective Delineator with mounting hardware, NYSDOT dwg. M606.1R1;	each	\$7.80
CG-90	Cable Splice with wedges; NYSDOT dwg. M606.1R2	each	\$84.50
CG-91	Spare Wedges for all splices and cable fittings, NYSDOT dwg. M606.1R1;	each	\$3.05
CG-92	Cable clamp for ¾" cable	each	\$6.50
CG-93	3/1" Brass Bent Rod	each	\$3.90
CG-94	4"x 5"x 28" GS Keeper Plates	each	\$6.76
CG-95	3/16" Brass Keeper Pin for Anchor Angle	each	\$4.22
CG-96	Bent PL. Cable Anchor Angle 606-01(GR)	each	\$191.00
CG-97	Cable Block Slip Base S3x7.5# Stub	each	\$137.80
CG-98	S3x5.7" Top Slip Anchor Post (6" Cable Spacing)	each	\$139.10
CG-99	1/2" x 2" Bolt, Nut, 3 Flat Washer A307	each	\$1.62

BOX BEAM	GUIDE	RAILING	<u>:</u> DR	AWING	606-3	3R4,	M60	6-3, M6	06-4	
	_									

BB-100	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch straight, lengths of 18', 24', 30' or 36 feet;	each	18' - \$423.00 24' - \$543.40 30' - \$715.00 36' - \$819.00
BB-101	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch shop curve, 205' radius, lengths 18 ft. or 24 feet;	each	18' - \$442.00 24' - \$557.70
BB-102	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch shop curve, radius 20 ft. To 200 ft., lengths of 12', 18', 24', 30 and 36 feet;	/foot	\$35.42
BB-103	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch shop curve, radius under 20 feet; lengths of 12', 18', 24' and 30 feet;	each	12' - \$1,131.00 18' - \$1,599.00 24' - \$2,950.00 30' - \$3,625.00
BB-103a	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch shop curve, radius under 20 feet; any length needed	/foot	\$89.05
BB-104	Box Beam Type I end section, approximately 7 1/2 feet long;	each	\$292.50
BB-105	S3 x 5.7, 3'11" in length, Anchor Post for Type I end, with special end shelf angle, two 1/2" x 1 1/2" hex bolts w/nut & flat washer and one 3/4" x 8" hex bolt w/nut & flat washer;	each	\$90.35
BB-105a	5" x 3 1/2" x 3/8" x 4 1/2" long 2" x 5/8" slot driveway shelf angle	each	\$11.44
BB-105b	¾" x 8" Hex Bolt w/nut & 2 flat washers	each	\$5.23
BB-106	Box Beam Type II end section, approximately 9 feet long;	each	\$588.00
BB-107	Two S3 x 5.7, 2'9" long, Anchor posts for Type II end, with 3/8" x 9 1/2" hex bolt w/nut & 2 flat washers;	each	\$83.20
BB-107a	3/8" x 9 1/5" Hex Bolt w/nut & 2 flat washers	each	\$8.00
BB-108	Straight splice plate pair with eight 3/4" x 1 1/2" A325 hex bolts	/pair	\$88.72
	and F844 Type A flat washers;		
BB-108a	3/4" x 1 1/2" Hex Bolt (splice plate bolts)	/pair	\$1.50
BB-109	Angled Splice Plate pair with eight 3/4" x 1 1/2" A325 hex bolts and F844 Type A flat washers; (specify 2, 4, or 6 degree angle);	/pair	\$93.21
BB-110	Standard shelf angle:	each	\$8.06
BB-111	Hex Bolt 3/8" x 7 1/2" w/nut & 2 flat washers	each	\$1.36
BB-112	Hex Bolt 1/2" x 1 1/2" w/nut & flat washer;	each	\$1.50
BB-113	S3 x 5.7 Universal Weak Post 5' 5" length;	each	\$54.60
BB-294	Complete BEAT roadside terminal system	each	\$5,297.50

# BRIDGE & CULVERT; POSTS, RAILINGS & TRANSITIONS

BRIDGE & CO	JLVERT; POSTS, RAILINGS & TRANSITIONS		
Index No.	DESCRIPTION:	<u>Unit</u>	<u>Amount</u>
<u>All dimensi</u>	ons are in millimeters (mm) unless otherwise noted.		
<u>Reference:</u>	<u>BD-RS1/R3 THROUGH RS8/R3 –</u>		
RS-120	Galvanized 127 x 76 x 6.4 Top Railing of Four Rail System, with both ends turned down to Third Rail (BD-RS4/R3)	/foot	\$54.60
RS-121	Galvanized 127 x 76 x 6.4 Bottom Railing of Four Rail System, with 1.5 m., 15 deg. flared section both ends	/foot	\$52.00
RS-122	Galvanized 152 x 152 x 4.8 Center Railing of Four Rail System	/30 ft	\$829.00
RS-123	Galvanized 152 x 152 x 4.8 Top Transition Rail with square end, 6.90 m. long	each	\$607.10
RS-124	Galvanized 152 x 152 x 4.8 Bottom Transition Rail with beveled end for turn back splice, 7.09 m. long.	each	\$646.10
RS-125	Galvan. 152 x 152 x 4.8 Turn Back Rail with end cap, 2.7 m. long.	each	\$267.80
RS-126	Galvanized Turn Back Splice Tube, with 5.33 deg. drop angle.	each	\$219.05
RS-127	203 x 152 x 6.4 Galvanized Block Out Tube, 150 mm. long.	each	\$32.50
RS-128	Galvanized Bridge Post for Four Rail curbless System, 1.06 m. in height.	each	\$393.90
RS-128A	Galvanized Bridge Post for Three Rail curbless system, 830 mm in height	each	\$365.30
RS-128B	Galvanized Bridge Post for Two Rail curb type system, 680 mm in height	each	\$328.90
RS-129	Galvanized 350 x 10 x 250 Anchor Plate	each	\$37.70
RS-130	Galvanized 127 x 127 x 7.9 Expansion Splice Tube, 900 mm long.	each	\$200.20
RS-131	Galvanized 127 x 127 x 7.9 Fixes Splice Tube, 685 mm long	each	\$159.90
RS-132	Galvanized 108 x 54 x 900 Expansion Splice Bar	each	\$218.40
RS-133	Galvanized 108 x 54 x 685 Fixed Splice Bar	each	\$162.50
RS-134	Galvanized L127 x 127x 15.9 Railing Angle, 154 mm. long.	each	\$24.37
-	dimensions are in INCHES (in) unless otherwise noted. <i>BD-RL3E THRU RL5E</i>		
RS-150	Galvanized 6 x 6 x 3/16 Bridge Railing	/foot	\$27.62
RS-151	Galvan. W6 x 25 Bridge Post for Curbless application, 34" height.	each	\$301.60
RS-152	Galvanized 9" x 1/2" x 12" Anchor Plate with four tack weld nuts for 1" galvanized NC thread.	each	\$92.95
RS-153	Galvanized 8" x 6" x 1/4" Block Out Tube, 6" length.	each	\$32.50
RS-154	Galvanized 5 x 5 x 5/16" x 2' 10-1/2" tube with one 4 x 3/8" x 1' 8" fill plate and one 4 x 3/8" x 2' 9-1/2" fill plate "Splice Tube A".	each	\$185.90
RS-155	Galvanized 5 x 5 x 5/16" x 2' 10-1/2" tube with TWO 4 x 3/8" x 2' 9-1/2" fill plates "Splice Tube B".	each	\$189.80
RS-156	Galvanized 6 x 6 x 3/16" Top Transition Rail; 23' 0" long	each	\$617.50
RS-157	Galvanized 6 x 6 x 3/16" Bottom Transition Rail with beveled end for turn back splice tube, 23' 7 1/2" long.	each	\$657.80
RS-158	W6 x 9 Universal Heavy Transition Post, Galvanized, 7' 4" long	each	\$117.32

RS-159	S3 x 5.7 Universal Weak Transition Post, Galvanized, 7' 0" long with soil plate.	each	\$84.17
RS-160	M20 3/4" x 8" Carriage Bolt w/nut, flat washer and lock washer	each	\$4.87
RS-161	3/4" x 8" Hex Bolt w/nut, 2 flat washers and lock washer	each	\$7.21
RS-162	3/4" Flat Washer	each	\$.32
RS-163	M24 Anchor Stud with 4 Washers and 4 Hex nuts, 12" long	each	\$19.82
RS-164	M24 Anchor Stud with 4 Washers and 4 Hex nuts, 14" long	each	\$23.14
RS-165	M24 Anchor Stud with 4 Washers and 4 Hex nuts, 18" long	each	\$27.43
RS-166	M24 Anchor Stud price per inch over and above 18" long	each	\$1.10
RS-167	3/4" Lock Washer	each	\$.33
RS-168	3/4" Hex Nut	each	\$.74
RS-168	3/4" Hex Nut	each	\$.74

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County.

Five sets of specifications of each item were sent out.

One bid for each item was received.



# BID ACCEPTANCE FOR CRUSHED STONE, ROCK RIP RAP, CONCRETE CATCH BASINS, PORTLAND CEMENT CONCRETE, FLEXIBLE CONCRETE MATS, GEOTEXTILE FABRIC AND PROCESSED GRAVEL (Department of Public Works)

Pursuant to Section 103 of the General Municipal Law and Sections 408 and 408-a of the County Law.

I. WHEREAS, the Clerk of the Legislature was authorized to advertise for sealed bids for the

provision of various materials, according to specifications provided by the Public Works Committee, now, therefore, be it

I. RESOLVED, that the Commissioner of Public Works is authorized to contract for crushed stone, rock rip rap, concrete catch basins, portland cement concrete, flexible concrete mats, geotextile fabric and processed gravel, with the following bidders recommended by the Public Works Committee for the term May 1, 2021 through April 30, 2022, and be it further

II. RESOLVED, that any county, city, village, town, school, or fire district in Cattaraugus County may participate in the bid prices by dealing directly with the bidder, and be it further

III. RESOLVED, that the County of Cattaraugus reserves the right to make purchases of the aforementioned items at any time during the term for which the bids are taken.

# <u>CRUSHED STONE</u>

NEW ENTERPRISE STONE & LIME CO., INC. 500 Como Park Boulevard Buffalo, New York 14227

Per Ton	F.O.B.	F.O.B.	Delivered	Delivered	Delivered	Delivered
	<u>Co. Trucks</u>	<u>Co. Trucks</u>	<u>Northeast</u>	<u>Northwest</u>	<u>Southeast</u>	<u>Southwest</u>
	Williamsville, NY	Franklinville, NY				
No. 1A	\$23.00					
No. 1 ST						
No. 1	\$20.50					
No. 2	\$17.10				\$25.30	
Minus 1 Crusher Run	\$13.50	\$18.30			\$21.70	
Minus 2 Crusher Run	\$12.25	\$17.30			\$20.45	
Gabion Stone	\$17.50		\$24.00	\$26.15	\$25.70	\$29.45
**Origin of Stone: Wehrle F	rive Quarry 8615 Wel	hrle Drive Williamsvil	le NV			

\*\*Origin of Stone: Wehrle Drive Quarry, 8615 Wehrle Drive, Williamsville, NY Pickup Locations: 8615 Wehrle Drive, Williamsville, NY & State Route 16, Franklinville, NY

# COUNTY LINE STONE CO., INC. 4515 Crittenden Road P.O. Box 150 Akron, New York 14001

<u>Per Ton</u>	F.O.B.	F.O.B.	Delivered	Delivered	Delivered	Delivered
	<u>Co. Trucks</u>	<u>Co. Trucks</u>	<u>Northeast</u>	<u>Northwest</u>	<u>Southeast</u>	<u>Southwest</u>
	<u>Akron, NY</u>	Springville, NY				
No. 1A	\$19.25	\$25.75				
No. 1 ST	\$17.25	\$23.75	\$26.50	\$27.75	\$30.25	\$31.75
No. 1	\$16.50	\$23.00				
No. 2	\$14.50					
Minus 1 Crusher Run	\$11.25					
Minus 2 Crusher Run	\$10.25					
Gabion Stone	\$17.00					
Type 1 Stone	\$18.25	\$24.75				
**Origin of Stone: 4515 Critte	enden Road Quarry,	Akron, NY				
Dickup Locations: 1515 Crit	tondon Road Akror	NV & 7020 Hanria	tta Poad Spring	willo NV		

Pickup Locations: 4515 Crittenden Road, Akron, NY & 7020 Henrietta Road, Springville, NY

#### SCHWAB AGGREGATES

#### 10090 Pigeon Hill Road

Delevan, New York 14042

Per Ton	F.O.B.	F.O.B.	Delivered	Delivered	Delivered	Delivered
	<u>Co. Trucks</u>	<u>Co. Trucks</u>	<u>Northeast</u>	<u>Northwest</u>	<u>Southeast</u>	<u>Southwest</u>
	Lockport, NY	<u>Delevan, NY</u>				
No. 1A	\$15.95		\$26.45	\$28.45	\$29.45	\$30.45
No. 1 ST						
No. 1	\$13.75		\$24.55	\$26.55	\$27.55	\$28.55
No. 2	\$13.50		\$22.50	\$24.50	\$25.30	\$26.30
Minus 1 Crusher Run	\$10.15	\$17.40	\$19.25	\$21.25		\$23.05
Minus 2 Crusher Run	\$9.90	\$16.65	\$18.50	\$20.50		\$22.30
Cabion Stone						

Gabion Stone

\*\*Origin of Stone: Lafarge Lockport Quarry, 400 Hinman Road, Lockport, NY

Pickup Locations: 400 Hinman Road, Lockport, NY & 10090 Pigeon Hill Road, Delevan, NY

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County. Five sets of specifications were sent out. Three bids were received which met specifications.

#### ♦ <u>ROCK RIP RAP</u>

NEW ENTERPRISE STONE & LIME CO., INC. 500 Como Park Boulevard Buffalo, New York 14227

<u>FINE</u>	Per Ton	Delivery	<u>Total</u>
Northeast Section	\$16.65	\$6.50	\$23.15
Southeast Section	\$16.65	\$8.20	\$24.85
Northwest Section	\$16.65	\$8.65	\$25.30
Southwest Section	\$16.65	\$11.95	\$28.60
<u>LIGHT</u>	<u>Per Ton</u>	<u>Delivery</u>	<u>Total</u>
Northeast Section	\$15.00	\$6.50	\$21.50
Southeast Section	\$15.00	\$8.20	\$23.20
Northwest Section	\$15.00	\$8.65	\$23.65
Southwest Section	\$15.00	\$11.95	\$26.95

MEDIUM	<u>Per Ton</u>	Delivery	<u>Total</u>
Northeast Section	\$34.00	\$8.75	\$42.75
Southeast Section	\$34.00	\$11.75	\$45.75
Northwest Section	\$34.00	\$10.00	\$44.00
Southwest Section	\$34.00	\$12.40	\$46.40
	<u>Per Ton</u>	Delivery	<u>Total</u>
HEAVY			
Northeast Section	\$37.00	\$8.75	\$45.75
Southeast Section	\$37.00	\$11.75	\$48.75
Northwest Section	\$37.00	\$10.00	\$47.00
Southwest Section	\$37.00	\$12.40	\$49.40

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County. Four sets of specifications were sent out. Two bids were received which met specifications.

# • CONCRETE CATCH BASINS - price each, includes delivery

BIHR LANDSCAI	PE, INC.	<u>mendes denvery</u>	
211 Westminst	,		
West Seneca, N	ew York 14224		
Frames & Gra	tes - Basin Sizes		<u>Rate</u>
CCB 2424	24" sq. x 24"		\$424.00
CCB 2436	24" sq. x 36"		\$455.00
CCB 2454	24" sq. x 54"		\$532.00
CCB 3036	30" sq. x 36"		\$772.00
CCB 3054	30" sq. x 54"		\$898.00
<u>Risers - 24 incl</u>	nes square (Height <u>)</u>		
CBR 24-6	6 inches		\$145.00
CBR 24-9	9 inches		\$190.00
CBR 24-12	12 inches		\$204.00
CBR 24-24	24 inches		\$310.00
<u>Risers - 30 incl</u>	nes square (Height)		
CBR 30-6	6 inches		\$200.00
CBR 30-12	12 inches		\$385.00
CBR 30-24	24 inches		\$535.00
<u>Extra Grates</u>			
CBG 24	24" x 24"		\$234.00
CBG 30	30" x 30"		\$383.00
KISTNER CONCI	RETE PRODUCTS, INC.		
P.O. Box 218			
	New York 14056-0218		
	tes - Basin Sizes		<u>Rate</u>
CCB 2454	24" sq. x 54"		\$671.00
CCB 2454A	24" sq. x 54" (single knoc	kout)	\$1,066.00
CCB 2454W	24" sq. x 54" (8" wall)		\$2,037.00
CCB 2466	24" sq. x 66"		\$740.00
CCB 2472	24" sq. x 72"		\$800.00
<u>Risers - 24 incl</u>	nes square (Height)		
CBR 24-6	6 inches		\$200.00
CBR 24-12	12 inches		\$367.00
CBR 24-24	24 inches		\$485.00

** 36" Sq. Alter Short load char	24" x 24" Raised Frame & Gate mate price has a roof slab with 24" sq. ft. grate cast flush into roof slab ge \$360.00 ding – overtime @ \$130/hour	\$290.00
Prices Below	are for NON-CERTIFIED Units. These Units do not have P.E.	
Stamped Rein	forcing Details or Calculations:	
<u>Frames &amp; Gra</u>	<u>tes - Basin Sizes —</u>	<u>Rate</u>
CCB 2424	24" sq. x 24"	\$408.00
CCB 2436	24" sq. x 36"	\$432.00
CCB 2454	24" sq. x 54"	\$500.00
CCB 3036	30" sq. x 36"	\$692.00
CCB 3054	30" sq. x 54"	\$777.00
JAMESTOWN N	IACADAM, INC.	
P.O. Box 518		
Celeron, New Y	ork 14720	
<u>Frames &amp; Gra</u>	<u>tes - Basin Sizes</u>	Rate
CCD 24264	24" co. x 26"	6025 M

Frames & Gr	ates - Basin Sizes	Rate
CCB 2436A	24" sq. x 36"	\$825.00
CCB 2436W	24" sq. x 36" (8" wall)	\$1,560.00
CCB 3636	36" sq. x 36"	\$1,500.00
CCB 3654	36" sq. x 54"	\$1,800.00
CCB 3654L	36" sq. x 54" (large knockouts) 36" x 42" knockouts	\$1,800.00
CCB 3672	36" sq. x 72"	\$1,950.00
<u> Risers - 24 in</u>	<u>ches square (Height)</u>	
CBR 24-6	6 inches	\$144.00
CBR 24-12	12 inches	\$250.00
CBR 24-24	24 inches	\$380.00
<u> Risers - 36 in</u>	<u>ches square (Height)</u>	
CBR 36-6	6 inches	\$225.00
CBR 36-12	12 inches	\$295.00
CBR 36-24	24 inches	\$450.00
<u>Extra Grates</u>		
CBG 24	24" x 24"	\$270.00
CBG 36	36" x 36"	\$811.00

No State Bid. Seven sets of specifications were sent out. Three bids were received which met specifications.

<u>MENT CONCRETE</u> - Per cubic yard	
ADAM, INC.	
ork 14701	
Description	Rate
"A", General Purpose Structural	
Northwest Section	\$151.00
Southwest Section	\$151.00
"D", Thin Structured Application	
Northwest Section	\$156.00
Southwest Section	\$156.00
	ADAM, INC. Description "A", General Purpose Structural Northwest Section Southwest Section "D", Thin Structured Application Northwest Section

E = NYSDOT CIA	ss "E", Structural Slabs and Structural	<u>Approach Slabs</u>	
E-NW	Northwest Section		\$153.00
E-SW	Southwest Section		\$153.00
<u>F = NYSDOT Cla</u>	ss "F", High Early Strength for Paveme	nt or Structural Slabs	
F-NW	Northwest Section		\$157.00
F-SW	Southwest Section		\$157.00
<u>H = NYSDOT Cla</u>	ass "H", Pumping Applications		
H-NW	Northwest Section		\$155.00
H-SW	Southwest Section		\$155.00
<u>HP = NYSDOT (</u>	Class "HP", High Performance Concret	e for Superstructure Slabs and	
Structural Appr	oach Slabs		
HP-NW	Northwest Section		\$194.00
HP-SW	Southwest Section		\$194.00
<u>ALLOWABLE EX</u>	TRA COST - Short load, PER LOAD		
S-1	1 cubic yard or less		\$ 75.00
S-2	More than 1 CY, = 2 CY</td <td></td> <td>\$ 75.00</td>		\$ 75.00
S-3	More than 2 CY, = 3 CY</td <td></td> <td>\$ 75.00</td>		\$ 75.00
S-4	More than 3 CY, = 4 CY</td <td></td> <td>\$ 75.00</td>		\$ 75.00
S-5	More than 4 CY, = 5 CY</td <td></td> <td>\$ 75.00</td>		\$ 75.00
TC-1	Truck Conveyor (per truck load)		\$225.00
<u>ALLOWABLE EX</u>	<u> TRA COST – Heated Concrete, PER YAR</u>	<u>D</u>	
HC-1	When Requested		\$12.00
<u>ALLOWABLE EX</u>	TRA COST – Unloading, PER MINUTE		
XC-1	Unloading in excess of 5 minutes p	er cubic yard	\$ 1.50
<u>ALLOWABLE EX</u>	TRA COST – Water-Reducing Admixtur	<u>e</u>	
SP-1	When Requested (High Range)(AST	M) Type F	\$ 7.50
6895 Ellicott Stre			
6895 Ellicott Stre Pavilion, New Yo	rk 14525		Rate
6895 Ellicott Stre Pavilion, New Yo Index No.	rk 14525 Description		<u>Rate</u>
6895 Ellicott Stre Pavilion, New Yo Index No.	rk 14525		
6895 Ellicott Stre Pavilion, New Yo <u>Index No.</u> <u>A = NYSDOT Cla</u> A-NE	ret rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section		<u>Rate</u> \$163.00
6895 Ellicott Stre Pavilion, New Yo <u>Index No.</u> <u>A = NYSDOT Cla</u> A-NE	ret rk 14525 <u>Description</u> ass "A", General Purpose Structural		\$163.00
6895 Ellicott Stre Pavilion, New Yo <u>Index No.</u> <u>A = NYSDOT Cla</u> A-NE <u>D = NYSDOT Cla</u> D-NE	eet rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section	Approach Slabs	
6895 Ellicott Stre Pavilion, New Yo <u>Index No.</u> <u>A = NYSDOT Cla</u> A-NE <u>D = NYSDOT Cla</u> D-NE	eet rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural	Approach Slabs	\$163.00 \$170.00
6895 Ellicott Stre Pavilion, New Yo Index No. A = NYSDOT Cla A-NE D = NYSDOT Cla D-NE E = NYSDOT Cla E-NE	rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section		\$163.00
6895 Ellicott Stre Pavilion, New Yo Index No. A = NYSDOT Cla A-NE D = NYSDOT Cla D-NE <u>E = NYSDOT Cla</u> E-NE <u>F = NYSDOT Cla</u>	eet rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme		\$163.00 \$170.00 \$170.00
6895 Ellicott Stre Pavilion, New Yo Index No. A = NYSDOT Cla A-NE D = NYSDOT Cla D-NE E = NYSDOT Cla E-NE F = NYSDOT Cla F-NE	eet rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme Northeast Section		\$163.00 \$170.00
6895 Ellicott Stre Pavilion, New Yo Index No. A = NYSDOT Cla A-NE D = NYSDOT Cla D-NE E = NYSDOT Cla E-NE F = NYSDOT Cla F-NE	eet rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme		\$163.00 \$170.00 \$170.00 \$170.00
6895 Ellicott Stre Pavilion, New Yo Index No. A = NYSDOT Cla A-NE D = NYSDOT Cla D-NE E = NYSDOT Cla E-NE F = NYSDOT Cla F-NE H = NYSDOT Cla H-NE	eet rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme Northeast Section ass "H", Pumping Applications Northeast Section		\$163.00 \$170.00 \$170.00
6895 Ellicott Stre Pavilion, New Yo Index No. A = NYSDOT Cla A-NE D = NYSDOT Cla D-NE E = NYSDOT Cla E-NE F = NYSDOT Cla F-NE H = NYSDOT Cla H-NE	ret rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme Northeast Section ass "H", Pumping Applications Northeast Section <i>TRA COST - Short load, PER LOAD</i>		\$163.00 \$170.00 \$170.00 \$170.00 \$166.00
6895 Ellicott Stre Pavilion, New Yo Index No. A = NYSDOT Cla A-NE D = NYSDOT Cla E-NE E = NYSDOT Cla F-NE H = NYSDOT Cla H-NE ALLOWABLE EX S-1	rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme Northeast Section ass "H", Pumping Applications Northeast Section <i>TRA COST - Short load, PER LOAD</i> 1 cubic yard or less		\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00
6895 Ellicott Stre Pavilion, New Yo Index No. A = NYSDOT Cla A-NE D = NYSDOT Cla D-NE E = NYSDOT Cla E-NE F = NYSDOT Cla F-NE H = NYSDOT Cla H-NE ALLOWABLE EX	ret rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme Northeast Section ass "H", Pumping Applications Northeast Section <i>TRA COST - Short load, PER LOAD</i>		\$163.00 \$170.00 \$170.00 \$170.00 \$166.00
6895 Ellicott Stre Pavilion, New Yo Index No. A = NYSDOT Cla A-NE D = NYSDOT Cla D-NE E = NYSDOT Cla F-NE H = NYSDOT Cla F-NE H = NYSDOT Cla H-NE ALLOWABLE EX S-1 S-2	rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme Northeast Section ass "H", Pumping Applications Northeast Section <i>TRA COST - Short load, PER LOAD</i> 1 cubic yard or less More than 1 CY, = 2 CY</td <td></td> <td>\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00</td>		\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00
6895 Ellicott Stre Pavilion, New Yo Index No. A = NYSDOT Cla A-NE D = NYSDOT Cla D-NE E = NYSDOT Cla E-NE F = NYSDOT Cla F-NE H = NYSDOT Cla H-NE ALLOWABLE EX S-1 S-2 S-3	Ret rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ss "E", Structural Slabs and Structural Northeast Section ss "F", High Early Strength for Paveme Northeast Section ass "H", Pumping Applications Northeast Section <i>TRA COST - Short load, PER LOAD</i> 1 cubic yard or less More than 1 CY, = 2 CY<br More than 2 CY, = 3 CY<br More than 3 CY, = 4 CY</td <td></td> <td>\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00</td>		\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00
6895 Ellicott StreePavilion, New YoIndex No.A = NYSDOT ClaA-NED = NYSDOT ClaD-NEE = NYSDOT ClaE-NEF = NYSDOT ClaF-NEH = NYSDOT ClaH-NEALLOWABLE EXS-1S-2S-3S-4	ret rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section <u>ss "E", Structural Slabs and Structural</u> Northeast Section <u>ss "F", High Early Strength for Paveme</u> Northeast Section <u>ass "H", Pumping Applications</u> Northeast Section <u>TRA COST - Short load, PER LOAD</u> 1 cubic yard or less More than 1 CY, = 2 CY<br More than 2 CY, = 3 CY</td <td></td> <td>\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00</td>		\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00
6895 Ellicott StreePavilion, New YoIndex No.A = NYSDOT ClaA-NED = NYSDOT ClaD-NEE = NYSDOT ClaE-NEF = NYSDOT ClaF-NEH = NYSDOT ClaH-NEALLOWABLE EXS-1S-2S-3S-4S-5TC-1	Ret rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ss "E", Structural Slabs and Structural Northeast Section ss "F", High Early Strength for Paveme Northeast Section ass "H", Pumping Applications Northeast Section <i>TRA COST - Short load, PER LOAD</i> 1 cubic yard or less More than 1 CY, = 3 CY<br More than 3 CY, = 4 CY<br More than 4 CY, = 5 CY</td <td>nt or Structural Slabs Per Hour</td> <td>\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00</td>	nt or Structural Slabs Per Hour	\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00
6895 Ellicott StreePavilion, New YoIndex No.A = NYSDOT ClaA-NED = NYSDOT ClaD-NEE = NYSDOT ClaE-NEF = NYSDOT ClaF-NEH = NYSDOT ClaH-NEALLOWABLE EXS-1S-2S-3S-4S-5TC-1	Ret rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme Northeast Section ass "H", Pumping Applications Northeast Section <i>TRA COST - Short load, PER LOAD</i> 1 cubic yard or less More than 1 CY, = 2 CY<br More than 2 CY, = 3 CY<br More than 3 CY, = 4 CY<br More than 4 CY, = 5 CY<br Truck Conveyor (per truck load)	nt or Structural Slabs Per Hour	\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00
6895 Ellicott StreePavilion, New YoIndex No.A = NYSDOT ClaA-NED = NYSDOT ClaD-NEE = NYSDOT ClaE-NEF = NYSDOT ClaF-NEH = NYSDOT ClaF-NEH = NYSDOT ClaH-NEALLOWABLE EXS-1S-2S-3S-4S-5TC-1ALLOWABLE EXHC-1	Ret rk 14525 <u>Description</u> ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme Northeast Section ass "H", Pumping Applications Northeast Section <i>TRA COST - Short load, PER LOAD</i> 1 cubic yard or less More than 1 CY, = 2 CY<br More than 2 CY, = 3 CY<br More than 3 CY, = 4 CY<br More than 4 CY, = 5 CY<br Truck Conveyor (per truck load) <i>TRA COST - Heated Concrete, PER YAR</i>	nt or Structural Slabs Per Hour	\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00
6895 Ellicott StreePavilion, New YoIndex No.A = NYSDOT ClaA-NED = NYSDOT ClaD-NEE = NYSDOT ClaE-NEF = NYSDOT ClaF-NEH = NYSDOT ClaF-NEH = NYSDOT ClaH-NEALLOWABLE EXS-1S-2S-3S-4S-5TC-1ALLOWABLE EXHC-1	Ret rk 14525 Description ass "A", General Purpose Structural Northeast Section ass "D", Thin Structured Application Northeast Section ass "E", Structural Slabs and Structural Northeast Section ass "F", High Early Strength for Paveme Northeast Section ass "H", Pumping Applications Northeast Section <i>TRA COST - Short load, PER LOAD</i> 1 cubic yard or less More than 1 CY, = 2 CY<br More than 2 CY, = 3 CY<br More than 3 CY, = 4 CY<br More than 4 CY, = 5 CY<br Truck Conveyor (per truck load) <i>TRA COST - Heated Concrete, PER YAR</i> When Requested (Nov. 15 to A	nt or Structural Slabs Per Hour 2D April 15)	\$163.00 \$170.00 \$170.00 \$170.00 \$166.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00 \$75.00

	RA COST – Water-Reducing Admixture	
SP-1	When Requested (High Range)(ASTM) Type F	\$ 7.25
WAYNE CONCRETE	-	
262 Route 44	-	
Shinglehouse, Pen	nsulvania 16748	
Index No.	Description	Rate
	s "A", General Purpose Structural	nate
A-SE	Southeast Section	\$151.50
		<i>+-0-100</i>
D = NYSDOT Class	s "D", Thin Structured Application	
D-SE	Southeast Section	\$156.00
E = NYSDOT Class	"E", Structural Slabs and Structural Approach Slabs	·
E-SE	Southeast Section	\$155.50
F = NYSDOT Class	"F", High Early Strength for Pavement or Structural Slabs	
F-SE	Southeast Section	\$159.00
H = NYSDOT Class	s "H", Pumping Applications	
H-SE	Southeast Section	\$154.00
HP = NYSDOT Cla	ass "HP", High Performance Concrete for Superstructure Slabs and	
Structural Approa	ach Slabs	
HP-SE	Southeast Section	\$193.00
ALLOWABLE EXT	RA COST - Short load, PER LOAD	
S-3	More than 2 CY, = 3 CY</td <td>\$140.00</td>	\$140.00
S-4	More than 3 CY, = 4 CY</td <td>\$135.00</td>	\$135.00
S-5	More than 4 CY, = 5 CY</td <td>\$115.00</td>	\$115.00
TC-1	Truck Conveyor (per truck load)	\$150.00
	RA COST – Heated Concrete, PER YARD	
HC-1	When Requested	\$ 9.50
	RA COST – Unloading, PER MINUTE	
XC-1	Unloading in excess of 5 minutes per cubic yard	\$ 1.67
	RA COST – Water-Reducing Admixture	
SP-1	When Requested (High Range)(ASTM) Type F	\$ 8.10

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County. Six sets of specifications were sent out. Three bids were received which met specifications.

# • FLEXIBLE CONCRETE MATS

KISTNER CONCRETE PRODUCTS, INC. P.O. Box 218 East Pembroke, New York 14056-0218

Mat Index No.	Thickness/Mat Weight	<u>Rate</u>
FC35	4.5" / 2531	\$1,496.00
FC45	5.5" / 3094	\$1,811.00
FC70	8.5" / 4781	\$2,100.00
Each Mat of flexibl	le concrete is to be 16 ft, by 4 ft, (64 sq. ft.), made up of 3 r	ows of blocks, with 12 blocks per

Each Mat of flexible concrete is to be 16 ft. by 4 ft. (64 sq. ft.), made up of 3 rows of blocks, with 12 blocks per row (total 36 blocks). These blocks are to be interconnected by Stainless Steel Aircraft Cable type 302, type 1 x 19 Construction

Block Dimensions: shall be or have: General

A) Base Dimension – 15-1/2" square

B) Top Dimension - 11-1/2" square

C) Space between blocks:

Base - ½"
 Top - 4-½"

No State Bid. Two sets of specifications were sent out. One bid was received.

# GEOTEXTILE FABRIC

JAMESTOWN MACADAM, INC. P.O. Box 518 Celeron, New York 14720 WOVEN FABRIC: TerraTex GS/TNS W200 or Equal Length of Roll – in feet

Square Yards per Roll Delivered: Cost per Square Yard Cost Per Sq. Yd. Picked up at your warehouse Manufacturer & ID Name

NON-WOVEN FABRIC: DuPont SF40 or Equal Length of Roll – in feet Square Yards per Roll Delivered: Cost per Square Yard Cost Per Sq. Yd. Picked up at your warehouse Manufacturer & ID Name Cost/Square Yard 432 feet

600/sq yd \$0.430 \$0.410 Hanes Geo, TerraTex GS

Cost/Square Yard 360 feet 500/sq yd \$0.640 \$0.620 Hanes Geo, TerraTex No 4.5

No State Bid. Seven sets of specifications were sent out. Two bids were received which met specifications.

# • **<u>PROCESSED GRAVEL</u>** - see next page for listings

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County. Twenty-two sets of specifications were sent out. Seventeen bids were received which met specifications.

Resolution Referred to:

Finance	$\boxtimes$	Human Services	
DPW	$\boxtimes$	Develop. & Ag	
Labor Relations		Strategic Planning	
Co. Operations/Pul	blic Safety		

PROCESSED GRAVH	VEL		Π	RICE (	SUMN	PRICE SUMMARY SHEET	SHEE	<u>_</u>				WASHED p	WASHED per TON F.O.B. Co. Trk	3. Co. Trk
	COUNTRY SIDE SAND & GRAVEL CRUSHED/ SCREEN	RY SIDF. GRAVEL V SCREEN	COUNTRY SIDE SAND & GRAVEL CRUSHED/SCREEN	RY SIDE GRAVEL CREEN	DAN GE GRAVEL P CRUSHED	DAN GERNATT GRAVEL PRODUCTS CRUSHED / SCREEN	GERNATT ASPH. PRODUCTS CRUSHED / SCREEN	T ASPH. UCTS / SCREEN	GERNA PROI	GERNATT ASPH PRODUCTS CRUSHED / SCREEN	GERNATT ASPH PRODUCTS CRUSHED / SCREI	GERNATT ASPH. PRODUCTS CRUSHED / SCREEN	GERNATT ASPH. PRODUCTS CRUSHED / SCREE	GERNATT ASPH. PRODUCTS CRUSHED / SCREEN
NO. IA	17.35	12.85	NB	叟	17.10	Ð	17.10	10.65	Ð	8:70	.15.10	殷	16.55	NB
NO, PA IB	B	Ð	Ë	NB	贸	eg.	RB	æ	囹	NB	14:75	Ð	BX.	NB
NO. IST	16.15	EX	BN	贸	BB	E.	殷	۴Ż	٩	- an	14:75	× ۳	Ø	BN
NO. I	17.15.	Ð	NB.	EN.	16.55	89	16.00	11.50	<b>BN</b>	6.60	14.75	NB	16:55	AB NB
NO. I & 2 MIXED	16.90	Ø	ę	图	16.55	<b>B</b> N	16.00	NB	Ê	<b>B</b> R	1525	RN	16:55	Ø
NO.2	16:90	贸	æ	NB	16.55	Ð	16.00	12.85	溲	10,90	15.25	Æ	16.55	NB.
NO. PA 2A	1480	Æ	i0:85	ŧ.	15.15	B	13.25	욷	11.60	en.	13.40	۶ ۲	iš.10	NB
NO.3	16.85	AN	æ	Ê	3A 17.30	Ð	16.25	12.80	Ø	10,60	3A 15.50	覺	Ø.	BR
NO. 4	NB.	RIN	g	B	ß	B	傁	Đ	毘	NB:	en e	Ð.	, NB	NB
NO.5	Ð	贸	Ð	ex.	NB	, NB-	, EIN	Ð	Я.	NB	NB	Ð	Ð	贸
OVERSIZED (LGR, THAN NO. 5)	16.15#(2"-8")	(2"-8")	13.15 # (2"-8")	2"-8")	, 16.85 (	16.85 (2"-8")	14.15 (2"-8")	(. 8- 3	7	EX	[]3.85 (2" <del>-</del> 8")	2"-8")	ER.	
RUN OF BANK GRAVEL: (# - At Deposit)	10.25	25	8.05	6.	10.	10.35	10.00	00	8.1	8.00	10.15	15	10.35	5
SAND SUITABLE FOR CONCRETE	41.85	8	Ð		U.	11.85	11.85	85	Ņ	ŇB	11.85	\$5	11.85	5
SAND SUITABLE FOR ICE & SNOW CONTROL	7.95	is	NB		N	NB	1:10	0	4.	4,10	5.45	5	7.70	0
MINUS 1" CRUSHER RUN HARDHEADS	\$16.90	96	Ð.		\$17	\$17.25	15.65	55	13.	12.40	16.05	5	Ð	
SUB-BASE MATERIALS	\$13.25	25	05.9	0	E11S	\$13.65	11.95	95	76 ·	9,60	11.25	2	NB	-
BITUMINOUS STABILIZED COURSE	Ð		Ð	_	N	NB	52.25	25	Z	Ð	NB		BN	
ADDITIONAL ITEMS: (see below)	IXX	1			XX	a	XX3	3	R	XX4	XX	5	с 1	
DELIVERY CHARGES ##	- - 			1										
0 - 5 MILES (per net ton mile)	3.10	0	3.10	0	3.10	10.	3:10	0	3.10	10	3.10	0	3.10	
6 - 15 MILES		~	18		.18	8	31.	8	ľ	18	.18		.18	2
16 - 50 MILES	.18	~	31.		.18	8	.18	8 S.	<b>.</b>	.18	.18			
PLANT LOCATION:	8458 ROUTE 62 SOUTH DAYTON	UTE 62 AYTON	YOUNGS ROAD FIT LEON, NY	OAD PIT NY	TAYLOR HOLLOW COLLINS, NY	HOLLOW	13650 BENZ DRIVE SPRINGVILLE	Z DRIVE VILLE	11860 CHAJ	11860.RT. 16 CHAFFEE	11216 RT. 98 FREEDOM, NY	2T. 98 M, NY	191 BROADWAY ROAD GOWANDA, NY	DWAY D DA, NY
# - AT DEPOSIT * - NYSDOT APPROVED				1										

XXI -MINUS 2" CRUSHER RUN HARDHEADS XX2-MINUS 2" CRUSHER RUN HARDHEADS XX3-MINUS 2" CRUSHER RUN HARDHEADS XX4-MINUS 2" CRUSHER RUN HARDHEADS XX4-MINUS 2" CRUSHER RUN HARDHEADS

1

16.20/TON 16.50/TON 14.90/TON 11.65/TON

XX5-MINUS 2" CRUSHER RUN HARDHEADS 15.30 / TON

PROCESSED GRAVI	VEL											WASHED P	WASHED per TON F.O.B. Co. Trk.	.B. Co. Trk.
		GERNATT ASPH. PRODUCTS	GERNATT ASPH. PRODUCTS	T ASPH. UCTS	GERNATT ASPH. PRODUCTS		NEW ENTERPRISE STONE & LIME CO. INC.	RPRISE E CO. INC.	IAMESTDWN MACADAM	DWN DAM	JAMESTOWN MACADAM	NWO	IAMESTOWN MACADAM	DAM
Material: Vendor.>		CRUSHED / SCREEN	CRUSHED	CRUSHED / SCREEN	CRUSHED / SCREEN	SCREEN	CRUSHED / SCREEN	SCREEN	CRUSHED / SCREEN	SCREEN	CRUSHED / SCREEN	SCREEN	CRUSHED / SCREEN	<b>SCREEN</b>
NO. IA	Đ	Ð	Ø	BR	15.85	11.20	16.00	5.10	16.00*	8.25	12.15	12.15	RN	Ð
NO. PA IB	É	RN	BR	NB	15.05	Ð	14.75	Ð	15.25	15.25	11.45	11.45	Ð.	BN
NO. IST	Ð	NB	BN	BN	B	Ð	15.60	Ð	16.00*	16.00	12.15	12.15	NB	BN
NO. I	Ð	NB	BN	NB	15.75	11.30	14.00	6.10	15.50*	15.50	11.45	11.45	NB	NB
NO. 1 & 2 MIXED	ĝ	NB	NB	NB	15:75	B	12.25	9.25	15.00*	15.00	11.45	11.45	EN.	NB
NO. 2	ER.	B	BB	BN	15.75	g	11.50	9.25	15.00*	15.00	11.45	11.45	NB	Ð
NO. PA 2A	12.15	Ð	11.45	٩ ٩	12.70	<u>۳</u>	11.75	en,	15:00	9.50	13.40	8.50	15.00	7.25
NO. 3	Æ	冕	#3 26 #4	BR	£	毁	BN	Æ	16.00*	16.00	11.45	11.45	11.45	11.45
NO.4	15.80	Ð	BN	NB	Ø	Ð	BR	NB	B	BN	11.45	11.45	11.45	11.45
NO. 5	NB	æ	BN.	BB	NB	BB	Ð	贸	NB	BR	RB	NB	<b>B</b>	NB
OVERSIZED (LGR. THAN NO. 5)	n.75 (	n.75 (2* <del>.</del> 8")	12.15 (	12.15(2"-8")	12.85 (2"-8")	(	Ð	~	12.25	25	10.80	0g	9.25	S
RUN OF BANK GRAVEL	8.05	05	8	8.60	NB		8.75	5	9.25*	*	7.25	5	5.75	5
SAND SUITABLE FOR CONCRETE	Z	夓	BB	6	11.85	S	11.75	75	11.25*	5*	11.25*	5*	NB	
SAND SUITABLE FOR ICE & SNOW	Z	NB	EE E		5.95		5.75	5	6.00*		6.00*	0*	NB	
MINUS 1" CRUSHER RUN HARDHEADS	14	14.35	13.20	20	15.35	5	NB	8	NB		AB NB		BN	
SUB-BASE MATERIALS	10	10.65	0	10.10	11.70		8N BN		9.50*	*	8.50*	*	7,25*	5*
BITUMINOUS STABILIZED COURSE	z	NB.	BŅ	В	NB		NB		NB		BN	_	BN	_
ADDITIONAL ITEMS: (see below)	IAX	u U	XY2	ŕz	EXX									
DELIVERY CHARGES ##												1		
0 - 5 MILES (per net ton mile)		3.10	3.10	0	3.10		3.50	0	3.05	5	3.05	5	3.05	5
6 - 15 MILES		18	.18		8 <b>i</b> (2)		.25	5	20		.20		20	
16 - 50 MILLES	l.	.18	.18	8	.18		.25		.20		.20	6	8	0
PLANT LOCATION:	Nanr Rouf GREAT	Nannen Pit Route 219 GREAT VALLEY	Middle I SPRINC	Middle Road Pit SPRINGVILLE	6589 McDonald Rd GREAT VALLEY	ald Rd	8643 Olean Buffalo Rd FRANKLINVILLE	Buffalo Rd NVILLE	11030 Moore Rd Randolph	oore Rd. Ol.PH	1060 Frew Run Rd. FREWSBURG	Run Rd. BURG	21 Rt. 394 Kennedy	.394 IEDY
# • AT DEPOSIT * • NYSDOT APPROVED														

13.60/TON 12.45/TON 14.60/TON H AT DEPOSIT \*- NYSDOT APPROVED \*- AT DEPOSIT \*- NYSDOT APPROVED XY1 - MNUS 2" CRUSHER RUN HARDHEADS XY3 - MNUS 2" CRUSHER RUN HARDHEADS XY3 - MNUS 2" CRUSHER RUN HARDHEADS

PROCESSED GRAVEI	T							e.			WASH	ED per <u>TON</u>	WASHED per TON F.O.B. Co. Trk	Ŀķ
Vendor>	SCHWAB A I CRUSHEI	SCHWAB AGGREGATES LLC CRUSHED / SCREEN	I. A. CONSTRUCTION E.F. LIPPERT CRUSHED / SCREEN	A CONSTRUCTION E.F. LIPPERT CRUSHED / SCREEN	I. A. CONSTRUCTION PORTVILLE SAND & GRAVEL CRUSHED / SCREEN	RUCTION TILLE RAVEL	UNGERMANN EXCAVATING CRUSHED / SCREEN	MANN ATING / SCREEN	GIARDINI BROS. CONST. CO. CRUSHED / SCREEN	L BROS. CO.	PERKINS, LLC. CRUSHED / SCREEN	s, llc. /screen	D & H MATERIALS CRUSHED / SCREEN	erlals Screen
NO. IA	10.75*	Mix 1&1A	00:6	00.6	٩ <u>₽</u>	BN	12:35	6.00	叟	æ	BN	₽,	11.50	5.25
NO. PA IB	۶.	Р. Ю	19:00	00 61	10.00	10.00	12:00	6.60	뜅	BN	15:00	11.00	Ð	AB NB
NO. I <sup>st</sup>	ez :	89	NB	Ø	RN	ŔŊ	09'11	æ	ĝ	NBN	15:00:	M.00.	8N	RB NB
NO. I	¥51:01	NB.	11.75	11.75	EZ.	۲,	N 60	6.85	15.50	- AZ	15:00.	r 00'll	10:00	6:00
NO. 1 & 2 MIXED	******	NB.	13.00	19.00	12.00	12:00	11.75	7:80	Ð	۴Ż	15.00	- 00:11	51.01	8.00
NO. 2	\$2 <u>7</u> 5	8:20	00.11	11.00*	.11.00,	11.00 \$	11.60	\$75	15.50	E.	15.00	13.00	9.75	8.00
NO. PA 2A	eg.	, SUB	8,00	8:00	8.00-	8.00.5	2	NB.	慶	傁	휟	NB)		NB
NO. 3	思	3A-Spec	00 H	11,00	811	11.00	Ê	NB.	1 <b>5:50</b> ≤	en e	13.90.4	00.11	AB .	B
NO.4	AND -	NB-	NB	æ	£	ġ	Ð	æ	15.50	贸	图	Ŵ.	NB.	- NB
NO. 5	N.NB	NB	NBN 1	NB	叟	NB .	NB,	NB	<b>NB</b>	NB	NB.	NB	图	Ð
OVERSIZED (LGR. THAN NO. 5)	8.50	8.50(2"-6")	<b>N</b> B		6.00	0	9.75	5	15.00	0	11	11.00-	8.00	0
RUN OF BANK GRAVEL	9	6:00	6.40	0	6.00		6.00	Q	7.25	5	8.00*	••	NB	4 - -
SAND SUITABLE FOR CONCRETE	6	9.50	7,00	Ģ	Ŷ		.09:6		đ.		12,00	00	00.6	
SAND SUITABLE FOR ICE & SNOW CONTROL	6	05.6	7.00	0	- 6.00	0	5:00	Q	6.75	Ş.	7.00	0	3.95	5
MINUS 1" CRUSHER RUN HARDHEADS		NB	盟		傁		10.00	0	AB N		14:50*	50*	<b>BN</b>	<b>3</b> 2 2
SUB-BASE MATERIALS	7 Uncrushee	7.50 Uncrushed 2" Gravel.	8.00	0	8.00		5:80	0	1.15	5	8.50*	•0	NB	
BITUMINOUS STABILIZED COURSE	4	NB	NB	3	BN		NB	e e	NB		NB	8	<b>NB</b>	2
ADDITIONAL ITEMS: (see below)	x	XZI												
DELIVERY CHARGES ##	1997 - 1997 - 1997 1987 - 1997 -	<u> </u>												
0 - 5 MILES (per net ton mile)	<ul> <li>Delivery.available</li> </ul>	available	2.00	0	5:00		2:00	0	5.00		4.00	0	2.90	0
9 - 15 MILES	H/00'56\$	\$95.00/HR Tandem	20		.50		1,50	0	2.50	0	2.50	8	, 18 ,	
16 - 50 MILES	2110.007	S110.00/HK Trailer	- 20		-50		4.00	Ó.	2.50	0	3.25	5		.18
PLANT LOCATION:	Pigeon	Pigeon Hill Rd. DELEVAN	4451 S. Nine Mile Rd. ALLEGANY	e Mile Rd. ANY	305 Barbertown Rd. PORTVILLE	bwn Rd. TLLE	9051 Brown Rd. MACHIAS	win R.d. LIAS	Gargoyle Rd. OLEAN	le Rd. AN	4343 S. Whalen Rd. GREAT VALLEY	halen Rd.	10811 Route 16 DELEVAN, NY	oute 16 .N, NY
* AT DEPOSIT * NVCDOT ADDONVED														

4 - AT DEPOSIT \* - NYSDOT APPROVED XZI - MRNUS 2" CRUSHER RUN HARDHEADS 9.75/TON

# PROCESSED GRAVEL

		2						
	D & H MATERIALS	TERIALS	D&HMA	D & H MATERIALS	LITTLE VALLEY SAND & GRAVEL	ALLEY	LITTLE VALLEY SAND & GRAVEL	/ALLEY GRAVEL
Material: Vendor:>	CRUSHED / SCREEN	/ SCREEN	CRUSHED	CRUSHED / SCREEN	CRUSHED / SCREEN	/ SCREEN	CRUSHED	CRUSHED / SCREEN
NO. IA	BN	NB	NB	Ø	13:80	B	g	뛷
NO. PA IB	冕	BB	BN	SUB.	13.80	Ð	BN	閏
NO. 1 <sup>st</sup>	۶.	Ð	Ð	BN	13.80	Ð	Ø	g
NO. I	۶.	2	BN	NB	13.80	Ð	ЯЙ	Ð
NO. 1 & 2 MIXED	82	82	BN	82 R	13.80	NB	e Z	Ð
NO. 2	覺	Ð	Ð	<b>9</b> 2	13.80	Ð	۹Ż	B
NO. PA 2A	<u>ع</u>	Ð	NBY	Ø	12.00	Ø	۹ÿ,	eg
NO.3	NBC	BN	EN.	EL.	13.00	BN	æ	BB
NO.4	ER.	Ð	- AN	鬯	13.00	BR	NB	NB
NO. 5	NB	NB	<b>B</b> N	BR.	Ð	B	. BR	en l
OVERSIZED (LGR. THAN NO. 5)	8.00			A	13.00	00	Z	NB ·
RUN OF BANK GRAVEL	4.75	2	4	4.75	5.00	0.	9.00* CY	сY
SAND SUITABLE FOR CONCRETE	Ð.		NB +	. 8	7.50	0	N	NB.
SAND SUITABLE FOR ICE & SNOW CONTROL	Ð		NB.	Barris a	6.60	0	BN	8
MINUS 1" CRUSHER RUN HARDHEADS	-9,75	5	<b>;</b> 6	9.75	EN.		Ð	
SUB-BASE MATERIALS	2,50	-	2:	5.50	*06'8	2	12.00* CY	۰C
BITUMINOUS STABILIZED COURSE	89 NB		N	NB	NB	~	8N NB	_
ADDITIONAL ITEMS: (see below)	8EE NEXT PAGE	T PAGE	2	a.	2 0 8			
DELIVERY CHARGES ##			1					1
0 - 5 MILES (per net ton mile)	2.90,	0	2.90	0	3.00	0	3%	3.00
6 - 15 MILES	<b>18</b> .		ŕ	.18	<i>L</i> I.	1	71.	
16 - 50 MILES	8F		.18	8	<b>1</b> 1.	1	<i>L</i> I.	7
PLANT LOCATION:	Martin Rd MACHIAS	i Rd IAS	Hira	Hiram Rd ARCADE	New Albion Rd. LITTLE VALLEY	ion Rd. /ALLEY	Rte 242	Rte 242 LITTLE VALLEY

# - AT DEPOSIT \* - NYSDOT APPROVED

WASHED per TON F.O.B. Co. Trk.

PROCESSED GRAVEL CONTINUED:

GRAVEL PITS BIDDING ONLY A FEW ITEMS:

MCEWAN TRUCKING & GRAVEL PRODUCTS, INC. 12370 Sharp 84, Springville, NY

OVERSIZED STONE (larger than No. 5) SUB-BASE MATERIALS

\$9.50 /TON

D & H MATERIALS, INC.

"MARTIN ROAD"

\$9.75/TON \$9.75/TON \$20.00/TON \$12.00/TON \$12.00/TON MINUS 2"CRUSHER RUN HARDHEADS CRUSHEDD #3,44, #5 WASHED CRUSHEDD 7005011 UNSCREINED TOPS011. CRUSHED CONCRETE CRUSHED CONCRETE RICK PERKINS CONTRACTING (PT LOCATION - LAIDLAW ROAD, FRANKLINVILLEFARMERSVILLE

NOL / 00.65 NOL / 09.55 OVERSIZED STONE (larger than No. 5) RUN OF BANK SUB-BASE MATERIALS

BIG DOG GRAVEL PRODUCTS (PET LOCATION - 5157 NORTH ROUTE 62 - CONEWANGO, NY

|--|

RAVEL PRODUCTS, INC.	N - CERES TWP., MCKEAN CO., PA)	
IYNE GRA	LOCATION -	

	NOT 2525 NOT 2007 NOT 2520 NOT 2520 NOT 2502 NOT	
A YNE GRAVEL PRODUCTS, INC. TLOCATION - CERES TWP, MCKEAN CO, PA)	RUN OF BANK SUB-BAIS MATERAL SUB-BAIS MATERAL PAA UNWASHED 2." CRUSHED GRAVEL PAA UNWASHED SCHENDED GRAVEL ?"- UNWASHED SCHENDED GRAVEL 2." CRUSHED FLACKTOP 2." CRUSHED CONCRETE	0- 5 MILES PER NET TON MILE 6- 15 MILES PER NET TON MILE 50 MILES PER NET TON MILE 50 MILES PER NET TON MILE

PERKINS LLC. (PTLOCATION-4343 S. WHALEN RD. GREAT VALLEY, NY)

NYS DOT ITBM#304 2" CRUSHED STONE 1" CRUSHED SUBBASE UNSCREENED TOPSOIL SCREENED TOPSOIL 1.12" CRUSHED BLACKTOP MILLINGS 2" CRUSHED EJACKTOP

\$14,00\*/TON \$14,00/TON \$20,00/TON \$28,00/TON \$16,00/TON \$15,00/TON

# AUTHORIZING THE CHAIR TO EXECUTE AMENDED CONTRACT WITH CHRISTOPHER SURMA D/B/A ENVIROTEKNIX FOR LEACHATE, SURFACE AND GROUNDWATER MONITORING AT FARWELL AND FIVE POINTS LANDFILLS AND ALLEGANY AND FRANKLINVILLE HIGHWAY BARNS STORM WATER DISCHARGE ANALYSIS

Pursuant to Sections 215 and 450 of the County Law.

I. WHEREAS, Act 518-2019 authorized a contract with Christopher Surma d/b/a Enviroteknix, 302 Lakeshore Drive East, Dunkirk, New York 14048, for the provision of leachate, surface and groundwater monitoring services at the Farwell and Five Point Landfills, and storm water discharge analysis services for the Allegany Highway Barn, the term of which expires December 31, 2021, with the County's sole option to renew for two (2) additional one-year periods, and

II. WHEREAS, the County Department of Public Works is desirous of modifying the sampling schedules to reduce the sampling from a quarterly basis to an annual basis at the Farwell and Five Point Landfills, and

III. WHEREAS, storm water discharge analysis services should continue for the Allegany Highway Barn, and are also needed for the Franklinville Highway Barn, and

IV. WHEREAS, the County Department of Public Works is desirous of clarifying the services to be provided for the storm water discharge analysis for the Allegany Highway Barn and adding services for the Franklinville Highway Barn, and

V. WHEREAS, Christopher Surma d/b/a Enviroteknix, 302 Lakeshore Drive East, Dunkirk, New York 14048, can provide the modified leachate, surface and groundwater monitoring services at the Farwell and Five Point Landfills, as well as the modified storm water discharge analysis services for the Allegany and Franklinville Highway Barns, as requested by the County, in accordance with the following fee schedule:

**Five Points Landfill** 

2021	\$7,250.00 (includes 5 Baseline + Blind Duplicate + Trip Blank & 1 Expanded)
2022	\$7,500.00 (includes 5 Baseline + Blind Duplicate + Trip Blank & 1 Expanded)

2023 \$8,000.00 (includes 5 Baseline + Blind Duplicate + Trip Blank & 1 Expanded)

Farwell Landfill

2021	\$9,900.00 (includes 18 Baseline + Blind Duplicate + Trip Blank & 1 Expanded)
2022	\$8,100.00 (includes 11 Baseline + Blind Duplicate + Trip Blank & 1 Expanded)
2023	\$10,150.00 (includes 18 Baseline + Blind Duplicate + Trip Blank & 1 Expanded)

Additional labwork requested by the County will be charged as follows, with no additional labor

cost:

\$190.00 each
\$335.00 each
\$795.00 each
\$140.00 each
\$100.00 each
\$250.00 each,

Allegany Highway Barn

2021	\$2,320.00
2022	\$2,320.00
2023	\$2,320.00

Franklinville Highway Barn

2021	\$310.00
2022	\$310.00
2023	\$310.00,

now, therefore, be it

I. RESOLVED, that the Chair of the Legislature be, and hereby is, authorized and directed to execute an amended contract, on behalf of Cattaraugus County, with Christopher Surma d/b/a Enviroteknix, for the provision of the above-described modified services, to amend the contract which commenced January 1, 2020 and terminates December 31, 2021, with the County's sole option to renew for two (2) additional one-year periods at the rates listed above, according to the above-described terms.

Reso	lution Refe	erred to:	
Finance	$\boxtimes$	Human Services	
DPW	$\boxtimes$	Develop. & Ag	
Labor Relations		Strategic Planning	
Co. Operations/Pu	ublic Safety		

# AUTHORIZING THE CHAIR TO EXECUTE CONTRACT WITH MCCARTHY & CONLON, LLP FOR PREPARATION AND REVIEW OF SKILLED NURSING FACILITY MEDICARE COST REPORTS FOR DEPARTMENT OF NURSING HOMES AND ADJUSTING VARIOUS APPROPRIATION AND REVENUE ACCOUNTS (Department of Nursing Homes)

Pursuant to Sections 210, 363, 366 and 450 of the County Law.

I. WHEREAS, Act 311-2017 authorized a contract with McCarthy & Conlon, LLP, 123 Quaker Road, Suite 103B, Queensbury, New York 12804, for the preparation and review of Medicare cost reports for the Department of Nursing Homes for the years ending December 31, 2017, 2018 and 2019, and

II. WHEREAS, the County is in need of the aforementioned services for the year ending 2020, and

WHEREAS, McCarthy & Conlon, LLP, has agreed to provide the services necessary for the preparation and review of Skilled Nursing Facility Medicare cost reports for the year ending December 31, 2020, for an amount of \$4,000.00 for each facility, to be paid as invoiced, and

IV. WHEREAS, the aforementioned services must be conducted in order for the County to receive any State reimbursement, and

V. WHEREAS, various appropriation accounts must be adjusted in order to cover the cost of the aforementioned services, now, therefore, be it

I. RESOLVED, that the Chair of the Legislature be, and hereby is, authorized and directed to execute a contract, on behalf of Cattaraugus County, with McCarthy & Conlon, LLP, for the provision of the above-described services, for a term commencing January 1, 2021 and terminating July 30, 2021, according to the above-described terms, and be it further

II. RESOLVED, that the County Administrator is hereby directed to appropriate \$4,000.00 from Fund Balance Account EF.990.0000 and \$4,000.00 from Fund Balance Account EI.990.0000 to make the following budgetary change:

Increase Appropriation Ac	ccounts:
EF.453.4530.8310.41603	Contracted Services
EI.453.4530.8310.41603	Contracted Services
Resolution Refe	erred to:
Finance 🛛	Human Services 🛛 🖂
DPW	Develop. & Ag
Labor Relations	Strategic Planning
Co. Operations/Public Safety	

\$4,000.00 \$4,000.00.

# ADJUSTING VARIOUS APPROPRIATION AND REVENUE ACCOUNTS (Sheriff's Office – 911 Center Furniture)

Pursuant to Sections 363 and 366 of the County Law.

I. WHEREAS, the Sheriff's Office is desirous of purchasing furniture through Xybix Systems,

Inc., 8207 SouthPark Circle, Littleton, Colorado 80120, for the 911 Center, and

II. WHEREAS, the aforementioned purchase is available through NYS Contract PO68324, and

III. WHEREAS, various appropriation accounts and the 911 Reserve Fund must be adjusted in

order to purchase the aforementioned furniture, now, therefore, be it

I. RESOLVED, that the County Administrator is hereby directed to appropriate \$105,500.25

from 911 Reserve Fund Account A.890.0000 and to make the following budgetary change:

Increase Appropriation Account: A.302.3020.0000.20003 Office Equipment

\$105,500.25.

Resolution Referred to:

Finance	$\boxtimes$	Human Services	
DPW		Develop. & Ag	
Labor Relations		Strategic Planning	
Co. Operations/Pu	iblic Safety		$\boxtimes$

# AUTHORIZING THE CHAIR TO EXECUTE CONTRACT WITH NEW YORK STATE INDUSTRIES FOR THE DISABLED FOR DELEVAN DEPARTMENT OF MOTOR VEHICLES OFFICES JANITORIAL SERVICES

Pursuant to Section 162 of the State Finance Law and Sections 215 and 450 of the County Law.

I. WHEREAS, Act 591-2019 authorized a contract with New York State Industries for the Disabled, Inc., for the provision of janitorial services for the Delevan Department of Motor Vehicle Offices located at 46 North Main Street, Delevan, New York, the term of which expired, and

II.WHEREAS, the Cattaraugus County Clerk is desirous of obtaining janitorial services for theDelevan Department of Motor Vehicle Offices located at 46 North Main Street, Delevan, New York, and

III. WHEREAS, the New York State Industries for the Disabled, Inc., through the Cattaraugus County Chapter of the New York State ARC, Inc., through is Cattaraugus Rehabilitation Center Division, has agreed to provide janitorial services for the aforementioned offices for an amount of \$4,100.00 per year (subject to increase based upon NYSDOL Prevailing Wage Rates), and

IV. WHEREAS, sufficient funds are included in the budget to cover the cost of the aforementioned janitorial services, now, therefore, be it

I. RESOLVED, that the Chair of the Legislature be, and hereby is, authorized and directed to execute a contract, on behalf of Cattaraugus County, with New York State Industries for the Disabled, through the Cattaraugus Rehabilitation Center Division, for the provision of the above-described janitorial services, for a term commencing March 1, 2021 and terminating February 28 2022, according to the above-described terms.

Resc	lution Refe	erred to:	
Finance	$\boxtimes$	Human Services	
DPW	$\boxtimes$	Develop. & Ag	
Labor Relations		Strategic Planning	
Co. Operations/Pu	ublic Safety		$\boxtimes$